



Logic Product Development
PN: 1003814 Rev A

Bill of Materials

BOM	Pgs
AMD Geode™ NX DB1500S Development Board (ROHS)	1 - 12

The contents of this document are provided in connection with Advanced Micro Devices, Inc. ("AMD") products. AMD makes no representations or warranties with respect to the accuracy or completeness of the contents of this publication and reserves the right to make changes to specifications and product descriptions at any time without notice. No license, whether express, implied, arising by estoppel or otherwise, to any intellectual property rights is granted by this publication. Except as set forth in AMD's Standard Terms and Conditions of Sale, AMD assumes no liability whatsoever, and disclaims any express or implied warranty, relating to its products including, but not limited to, the implied warranty of merchantability, fitness for a particular purpose, or infringement of any intellectual property right. AMD's products are not designed, intended, authorized or warranted for use as components in systems intended for surgical implant into the body, or in other applications intended to support or sustain life, or in any other application in which the failure of AMD's product could create a situation where personal injury, death, or severe property or environmental damage may occur. AMD reserves the right to discontinue or make changes to its products at any time without notice.

AMD, the AMD Arrow logo, and combinations thereof, and Geode are trademarks of Advanced Micro Devices, Inc.

Other product names used in this publication are for identification purposes only and may be trademarks of their respective companies.

(c) 2005 Advanced Micro Devices, Inc. All rights reserved.



BOM REPORT

Part Number 1003814
 Part Description ASSEMBLY, PCB, AMD - GEODE NX (ROHS)
 Part Revision A



Part Number	Item Rev	Qty	Ref Des	Item Description	Initial MFG Name	Initial MFG Part Number
1003814	A			ASSEMBLY, PCB, AMD - GEODE NX (ROHS)		
1001329	A	54	C12, C16, C17, C44, C51, C53, C75, C77, C86, C87, C116, C118, C121, C125, C131, C170, C214, C244, C247, C275, C296, C353-C356, CB2, CB4, CB6, CB8, CB11-CB13, CB15, CB16, CB18, CB20, CB21, CB23, CB32, CB38, CB39, CB42, CB43, CB46, CB47, CB49, CB52, CB53, CB70, CB87, CB92-CB94, CE1	CAP, CERAMIC, 10000PF, 16V, 0402	Panasonic	ECJ-0EB1C103K
1001330	A	21	C130, C141, C142, C144, C146, C148-C157, C167, C211, C212, C350, C351, CB14	CAP, CERAMIC, 10PF, 50V, NPO, 0402	Kemet	C0402C100J5GACTU
1001331	A	7	C284, C285, C288, C289, CB148, CB151, CB154	CAP, CERAMIC, 470PF, 50V, X7R, 0402	AVX	04025C471KAT2A
1001332	A	16	C10, C168, C171, C197, C198, C242, C243, C245, C246, C298, C317, C337, CB37, CB40, CB41, CB45	CAP, TANTALUM, 22UF, 10V, 3528	Panasonic	ECS-T1AX226R
1001336	A	45	R29, R30, R46, R51, R153, R161-R163, R169, R180-R184, R209, R215, R271, R272, R274, R276, R278, R295-R298, R309, R312, R320, R323, R351, R386, R387, R405, R406, R412, R414, R416, R431-R435, R463, R468, R483	RESISTOR, 10K OHM, 1/16W, 5%, 0402	Dale	CRCW0402103JT
1001337	A	19	R23, R185-R188, R292, R293, R311, R331, R341, R345, R347, R373, R374, R389, R390, R448, R470, R481	RESISTOR, 1.0K OHM, 1/16W, 5%, 0402	Panasonic	ERJ-2GEJ102X



Part Number	Item Rev	Qty	Ref Des	Item Description	Initial MFG Name	Initial MFG Part Number
1001340	A	2	R143, R299	RESISTOR, 1.0M OHM, 1/16W, 5%, 0402	Panasonic	ERJ-2GEJ105X
1001368	A	58	R54, R56, R61, R67-R69, R77-R81, R83, R84, R86-R97, R102, R112, R113, R118, R125, R129, R133, R139, R141, R149, R154, R155, R158, R171, R172, R211, R291, R294, R340, R365, R367, R372, R417, R418, R423, R426, R427, R430, R461, R462, R471-R473	RESISTOR, 0 OHM, 1/16W, 5%, 0402	Panasonic	ERJ-2GE0R00X
1001369	A	10	R343, R346, R348, R375-R378, R385, R420, R421	RESISTOR, 47.0K OHM, 1/16W, 1%, 0402	Dale	CRCW04024702FT
1001372	A	2	R391, R419	RESISTOR, 100K OHM, 1/16W, 5%, 0402	Panasonic	ERJ-2GEJ104X
1001374	A	13	R109, R144-R148, R151, R152, R196, R198, R206-R208	RESISTOR, 22 OHM, 1/16W, 5%, 0402	Panasonic	ERJ-2GEJ220X
1001377	A	1	J7	CONNECTOR, AUDIO, TRIPLE, PC-99	Foxconn	JA33331-H21P-4F
1001582	B	0		ASSEMBLY DRAWING, PCB, AMD - GEODE NX-DB1500S-EVAL-KT		
1001604	A	21	Q1-Q5, Q9, Q11, Q17, Q21, Q26-Q36, Q38	MOSFET, N-CH, 60V, 150MA, SOT23	Diodes Inc	2N7002-7-F
1002124	6	0		SCHEMATIC, AMD GEODE NX		
1002393	A	1	C230	CAP, CERAMIC, 100PF, 50V, X7R, 0402	Panasonic	ECJ-0EB1H101K
1002394	A	6	C239, C248, C249, C282, C283, C290	CAP, CERAMIC, 1000PF, 50V, X7R, 0402	Venkel	C0402X7R500-102KNSnE



Part Number	Item Rev	Qty	Ref Des	Item Description	Initial MFG Name	Initial MFG Part Number
1002396	A	226	C8, C39, C41-C43, C47, C52, C54, C58, C59, C63, C64, C69-C74, C79, C80, C82, C85, C88-C115, C117, C120, C124, C129, C132, C136-C140, C143, C169, C172-C174, C177, C178, C186-C196, C200-C206, C208-C210, C213, C215-C221, C238, C269, C271, C274, C276-C278, C292, C300, C303, C308, C311, C316, C319, C327, C333, C334, C343, C349, C352, C358, CB1, CB3, CB5, CB7, CB17, CB19, CB22, CB24-CB27, CB29-CB31, CB33-CB36, CB44, CB48, CB50, CB54, CB58, CB60-CB65, CB68, CB69, CB71-CB86, CB88-CB91, CB95-CB145, CB147, CB149, CB150, CB152, CB153, CB155, CBX1	CAP, CERAMIC, 0.1UF, 16V, X5R, 0402	AVX	0402YD104KAT2A
1002401	A	5	FB8-FB12	FERRITE BEAD, 600OHM @ 100MHZ, 200MA, 0805	MURATA	BLM21BD601SN1D
1002431	A	1	R388	RESISTOR, 15K OHM, 1/16W, 5%, 0402	Yageo America	9C04021A1502JLHF3
1002489	A	2	J12, JP35	CONNECTOR, HEADER, MALE, 0.100IN, 3PIN, 1X3	Samtec	TSW-103-23-T-S
1002492	A	1	JP31	CONNECTOR, HEADER, MALE, 0.100IN, 5PIN, 1X5	Samtec	TSW-105-23-T-S
1002494	A	1	J4	CONNECTOR, PCI CARD EDGE, 0.050IN, 120PIN	Molex	89177-6030
1002498	A	1	J10	CONNECTOR, ATX, 20PIN VT, 2X10	Molex	39-28-1203
1002504	A	3	R262-R264	RESISTOR, 75 OHM, 1/16W, 5%, 0402	Susumu Co Ltd	RR0510R-750-D
1002506	A	4	R127, R131, R140, R142	RESISTOR, 56 OHM, 1/10W, 5%, 0603	Panasonic	ERJ-3GEYJ560V
1002549	A	1	D4	LED, GREEN, CLEAR, 0805	LITE-ON	LTST-C170GKT
1002628	A	15	R70, R98, R99, R105-R108, R190, R192, R197, R199, R200, R329, R474, R475	RESISTOR, 10 OHM, 1/16W, 5%, 0402	Yageo	RC0402JR-0710RL
1002670	A	21	RN21-RN38, RN49-RN51	RESISTOR, ARRAY (4) 33 OHM, 5%, SMT	Panasonic	EXB-28V330JX
1002674	A	5	R332-R336	RESISTOR, 330 OHM, 1/16W, 5%, 0402	Panasonic	ERJ-2GEJ331X



Part Number	Item Rev	Qty	Ref Des	Item Description	Initial MFG Name	Initial MFG Part Number
1002758	A	4	R392, R409-R411	RESISTOR, 124 OHM, 1/16W, 1%, 0402	Panasonic	ERJ-2RKF1240X
1002760	A	3	U15, U17, U20	IC, POWER REG, 800MA, ADJUSTABLE, LDO, .5%, SOT-223	NATIONAL	LM1117MPX-ADJ NOPB
1002761	A	1	R393	RESISTOR, 205 OHM, 1/10W, 1%, 0805	Panasonic	ERJ-6ENF2050V
1002794	A	4	R260, R261, R305, R366	RESISTOR, 2.2K OHM, 1/16W, 5%, 0402	Panasonic	ERJ-2GEJ222X
1002802	A	2	R319, R465	RESISTOR, 10K OHM, 1/16W, 1%, 0402	Panasonic	ERJ-2RKF1002X
1002951	A	10	R58, R60, R130, R138, R210, R212, R283, R284, R286, R287	RESISTOR, 49.9 OHM, 1/16W, 1%, 0402	Rohm	MCR01MZPF49R9
1002953	A	2	C325, C332	CAP, CERAMIC, 1UF, 16V, X5R, 0603	Panasonic	ECJ-1VB1C105K
1002996	A	25	R116, R117, R119, R165, R166, R174, R176, R177, R229, R265, R266, R268, R300-R303, R310, R313, R338, R382-R384, R415, R447, R478	RESISTOR, 4.7K OHM, 1/16W, 5%, 0402	Venkel	CR0402-16W-472JT
1002998	A	1	R267	RESISTOR, 5.6K OHM, 1/16W, 5%, 0402	Yageo America	9C04021A5601JLHF3
1003030	A	13	FB1, FB14, L18, L21, L24, L26, L27, L32-L37	FERRITE BEAD, 100OHM @ 100 MHZ, 3A, 1206	Steward	HI1206N101R-10
1003031	A	23	FB2-FB5, L11-L17, L19, L20, L22, L23, L25, L38-L44	FERRITE BEAD, 80 OHM, 200MA, 0603	Steward	LI0603G800R-10
1003039	A	8	RN20, RN39-RN41, RN45-RN48	RESISTOR, ARRAY (4) 2.7K OHM, 5%, SMT	Panasonic	EXB-28V272JX
1003040	A	2	R306, R321	RESISTOR, 2.7K OHM, 1/16W, 5%, 0402	Panasonic	ERJ-2GEJ272X
1003058	A	4	CN1-CN4	CAP, CERAMIC, 220PF, 50V, 10%, NPO, 0805 ARRAY X4	Panasonic	ECJ-TVC-1H221K
1003099	A	2	J13, J14	CONNECTOR, HEADER, MALE, 0.100IN, 6PIN, 1X6	Samtec	TSW-106-23-T-S
1003101	A	1	JP32	CONNECTOR, HEADER, MALE, 0.100IN, 10PIN, 2X5	Samtec	TSW-140-23-T-D
1003161	A	1	C344	CAP, ELECTROLYTIC, 22UF, 10V, B CASE	Panasonic	EEE-FK1A220R
1003218	A	1	X1	BATTERY HOLDER, VERT, CR2032, TH	Renata	VBH2032-1
1003249	A	18	R8-R15, R36, R41, R72, R73, R75, R76, R270, R368, R381, R413	RESISTOR, 100 OHM, 1/16W, 5%, 0402	Yageo America	9C04021A1000JLHF3
1003250	A	3	R281, R428, R429	RESISTOR, 1.5K OHM, 1/16W, 5%, 0402	Panasonic	ERJ-2GEJ152X
1003265	A	1	P3	CONNECTOR, RCA JACK, RA, PCB, TH	Keystone	901
1003266	A	1	Q43	MOSFET, P-CH, -20V, -4.5A, SUPERSOT-6	Fairchild	FDC640P



Part Number	Item Rev	Qty	Ref Des	Item Description	Initial MFG Name	Initial MFG Part Number
1003287	A	1	D5	LED, RED, CLEAR, 0805	LITE-ON	LTST-C170EKT
1003299	A	1	D3	LED, YELLOW CLEAR 0805	LITE-ON	LTST-C170YKT
1003301	A	1	D2	DIODE, SCHOTTKY DUAL 30V 200MA SOT-23	DIODES INC	BAT54A-7-F
1003348	A	26	C60, C61, C65-C68, C76, C78, C81, C84, C237, C295, C307, C338, C341, C342, C347, CB28, CB51, CB55-CB57, CB59, CB66, CB67, CB160	CAP, CERAMIC, 1UF, 6.3V, X5R, 0603	Panasonic	ECJ-1VB0J105K
1003363	A	2	R55, R425	RESISTOR, 10 OHM, 1/16W, 5%, 0603	PHYCOMP	RC0603JR-0710RL
1003370	A	1	U9	IC, SUPER I/O	Winbond	W83627HG-AW
1003375	A	1	J11	CONNECTOR, HEADER, MALE, 1.0MM, 41PIN, 2X	Hirose	DF9-41P-1V(69)
1003424	A	2	B1, B2	SWITCH, TACT, SPST, TH	ITT Cannon	PTS453SL38
1003425	A	1	U7	CONNECTOR, DB-9/DB-15/DB-25, PC99	Conser	D363-1F41
1003430	A	1	P2	CONNECTOR, DIN-MINI, DUAL, VT, PC-99 COLORS	Kycon	KMDGX-6SG/P-S4N1
1003486	A	7	UD1-UD7	DIODE, SCHOTTKY, DUAL, SERIES, SOT-23	Diodes Inc	BAT54S-7-F
1003594	A	0		SOFTWARE, BIOS, AMI GEODE NX, BUILD 6		
1003616	A	1	U4	IC, BGA 695, NORTHBRIDGE CHIPSET, LEAD FREE	Silicon Integrated Systems	SIS741CXZ
1003617	A	1	U5	IC, MBGA505, MUTIOL MEDIA I/O, LEAD FREE	Silicon Integrated Systems	SIS964Z
1003713	A	4	CB156-CB159	CAP, CERAMIC, 47PF, 50V, NPO, 0402	Panasonic	ECJ-0EC1H470J (RoHS)
1003741	A	1	JP34	CONNECTOR, HEADER, MALE, 0.100IN, 14PIN	Sullins	PTC07DAAN (RoHS)
1003751	A	1	R395	RESISTOR, 49.9 OHM, 1/16W, 1%, 0603	PHYCOMP	9C06031A49R9FKHFT (RoHS)
1003752	A	11	R436-R446	RESISTOR, 3.9K OHM, 1/10W, 5%, 0603	Panasonic	ERJ-3GEYJ392V (RoHS)
1003807	A	0		FUNCTIONAL TEST PROCEDURE, AMD NX DB1500		
1003816	A	1	CN5	CONNECTOR, MALE, SHROUDED, KEYED, LOCKING, 0.100IN, 4PIN, 1X4	MOLEX	70543-0003 (RoHS)
1003817	A	2	R453, R455	RESISTOR, 13K OHM, 1/16W, 1%, O402	Yageo America	9C04021A1302FLHF3 (RoHS)



Part Number	Item Rev	Qty	Ref Des	Item Description	Initial MFG Name	Initial MFG Part Number
1003819	A	5	R100, R251, R253, R476, R477	RESISTOR, 47 OHM, 1/16W, 5%, 0402	Yageo America	9C04021A47R0JLHF3 (RoHS)
1003822	A	3	R22, R307, R314	RESISTOR, 56.2K OHM, 1/16W, 1%, 0402	BC Components	2312 275 15623 (RoHS)
1003823	A	2	R1, R2	RESISTOR, 680 OHM, 1/16W, 1%, 0402	Yageo America	9C04021A6800FLHF3 (RoHS)
1003831	A	1	J3	CONNECTOR, HEADER, MALE, 20X2	AMP	1761633-2
1003832	A	2	CON1, CON2	CONNECTOR, SATA SYSTEM PLUG, VERT, STANDARD TYPE, 1X7	Molex	67491-0020 (RoHS)
1003834	A	1	EEPROM1	IC, EEPROM, SERIAL, 1K,10MS, 2.7-5.5V,SOIC8	ISSI	IS93C46A-3GRL
1003835	A	1	U21	IC, POWER SUPPLY, CPU CORE, TSSOP-28	Fairchild	FAN5240MTCX (RoHS)
1003836	A	2	U10, U11	IC, RS232 XCVR, 3 XMT, 5 RCV, TSSOP-20	Texas Instruments	GD75232PW (RoHS)
1003840	A	10	L1-L10	INDUCTOR, .01UH, 1.0A, SMT 1008	Coilcraft	1008CS-100XJLC
1003841	A	1	R464	RESISTOR, THERMISTOR, 10K, 1%, B = 3435, SMT 0603	Panasonic	ERTJ1VG103FA (RoHS)
1003842	A	2	R226, R227	RESISTOR, 75 OHM, 1%, 0402	YAGEO	9C04021A75R0FLHF3 (RoHS)
1003843	A	7	C20, C23, C26, C29, C32, C35, C326	CAP, CERAMIC, 0.22UF, 10V, X7R, 0402	Panasonic	ECJ-0EF1A224Z (RoHS)
1003845	A	53	R57, R59, R101, R120, R121, R134-R136, R189, R191, R193-R195, R201, R202, R204, R205, R217-R219, R221, R223-R225, R230-R250, R252, R254-R259, R337	RESISTOR, 33 OHM, 1/16W, 5%, 0402	Yageo	9C04021A33R0JLPF3
1003846	A	5	C1, C4-C7	CAP, CERAMIC, 5PF, 50V, NPO, 0402	Panasonic	ECJ-0EC1H050J (RoHS)
1003847	A	1	C9	CAP, CERAMIC, 0.047UF, 16V, X5R, 0402	AVX	0402YD473KAT2A (RoHS)
1003848	A	2	C2, C3	CAP, CERAMIC, 680PF, 60V, X7R, 0402	Yageo America	04022R681K9B20D (RoHS)
1003849	A	4	D1, D7-D9	DIODE, 100V, 1A, 4148, MINI-MELF	Diodes Inc	LL4148 (RoHS)
1003852	A	3	C122, C123, C127	CAP, CERAMIC, 15PF, 50V, 5%, 0402	MURATA	GRM1555C1H150JZ01D (RoHS)



Part Number	Item Rev	Qty	Ref Des	Item Description	Initial MFG Name	Initial MFG Part Number
1003853	A	1	R28	RESISTOR, 40.2 OHM, 1/16W, 1%, 0402	Yageo America	9C04021A40R2FLHF3 (RoHS)
1003854	A	1	R21	RESISTOR, 51 OHM, 1/16W, 5%, 0402	Panasonic	ERJ-2GEJ510X (RoHS)
1003855	A	17	R6, R7, R16, R31-R35, R45, R47-R50, R451, R479, R480, R482	RESISTOR, 270 OHM, 1/16W, 5%, 0402	Panasonic	ERJ-2GEJ271X (RoHS)
1003856	A	3	R24, R25, R52	RESISTOR, 56.2 OHM, 1/16W, 1%, 0402	Panasonic	ERJ-2RKF56R2X (RoHS)
1003857	A	3	R3, R4, R62	RESISTOR, 60.4 OHM, 1/16W, 1%, 0402	Panasonic	ERJ-2RKF60R4X (RoHS)
1003858	A	1	R175	RESISTOR, 127 OHM, 1/16W, 1%, 0402	Panasonic	ERJ-2RKF1270X (RoHS)
1003859	A	3	R126, R394, R408	RESISTOR, 130 OHM, 1/16W, 1%, 0402	Panasonic	ERJ-2RKF1300X (RoHS)
1003860	A	1	R5	RESISTOR, 301 OHM, 1/16W, 1%, 0402	Panasonic	ERJ-2RKF3010X (RoHS)
1003861	A	1	R173	RESISTOR, 374 OHM, 1/16W, 1%, 0402	Panasonic	ERJ-2RKF3740X (RoHS)
1003862	A	1	R203	RESISTOR, 475 OHM, 1/16W, 1%, 0402	Panasonic	ERJ-2RKF4750X (RoHS)
1003863	A	1	R132	RESISTOR, ARRAY (4) 8.2K OHM, 5%, SMT	Panasonic	EXB-28V822JX (RoHS)
1003864	A	3	RN42-RN44	RESISTOR, ARRAY (4) 5.1K OHM, 5%, SMT	Panasonic	EXB-28V512JX (RoHS)
1003866	A	1	R454	RESISTOR, 16.9K OHM, 1/16W, 1%, 0402	Panasonic	ERJ-2RKF1692X (RoHS)
1003867	A	1	R450	RESISTOR, 75K OHM, 1/16W, 5%, 0402	Panasonic	ERJ-2GEJ753X (RoHS)
1003869	A	3	L28-L30	INDUCTOR, 100NH, 5%, 0603, .4A	Coilcraft	0603CS-R10XJLW
1003870	A	10	C175, C301, C302, C309, C310, C314, C315, C320, C321, C339	CAP, ELECTROLYTIC, 1000UF, 6.3V, .038 OHM, 20%	Panasonic	EEU-FM0J102 (RoHS)
1003871	A	2	U18, U19	IC, POWER REG, 3 TERMINAL ADJUSTABLE, 3A, TO-263	Sipex	SPX1587AT-L
1003872	A	2	D10, D15	IC, POWER REG, ADJUSTABLE PRECISION ZENER SHUNT REGULATOR, 1%, SOT23-5	TI	TLV431AIDBVR (RoHS)
1003873	A	1	Q18	MOSFET, P-CH, 20V, 2A, SOT23	FAIRCHILD	FDN340P (RoHS)
1003874	A	1	R396	RESISTOR, 105 OHM, 1/10W, 1%, 0805	Panasonic	ERJ-6ENF1050V (RoHS)
1003875	A	2	R400, R401	RESISTOR, 127 OHM, 1/10W, 1%, 0805	Panasonic	ERJ-6ENF1270V (RoHS)
1003876	A	1	R402	RESISTOR, 56.2 OHM, 1/10W, 1%, 0805	Panasonic	ERJ-6ENF56R2V (RoHS)
1003877	A	2	Q22, Q24	MOSFET, N-CH, 30V, 13A, SO-8	Fairchild	FDS6294 (RoHS)
1003878	A	2	Q23, Q25	MOSFET, N-CH, 30V, 21A, SO-8	Fairchild	FDS6699S (RoHS)
1003879	A	1	C305	CAP, ELECTROLYTIC, 470UF, 6.3V, RADIAL	Panasonic	EEUFC0J471 (RoHS)



Part Number	Item Rev	Qty	Ref Des	Item Description	Initial MFG Name	Initial MFG Part Number
1003880	A	1	Q8	TRANSISTOR, PNP, -60V, -800MA SOT-23	Fairchild	MMBT2907A (RoHS)
1003881	A	1	U3	IC, REGULATOR, 2.5V, LDO, 150MA, SOT23-5	National	LP2985IM5X-2.5/NOPB
1003882	A	1	U12	IC, TEMP SENSOR, DUAL, MSOP-8	Global Mixed-Mode Technologies Incorporated	G781f
1003883	A	2	C313, C340	CAP, ELECTROLYTIC, 1000UF, 10V, RADIAL	Panasonic	EEUFC1A102 (RoHS)
1003884	A	2	Q15, Q19	FET, N-CH, 30V, 5A, 1.6W, SOT23-6	Fairchild	FDC633N (RoHS)
1003889	A	2	JP29, JP30	CONNECTOR, HEADER, MALE, 0.100IN, 9 PIN, 5X2, KEYED (CUT FROM 1003738, PIN 9 REMOVED)	Samtec	
1003738	A	.125		CONNECTOR, HEADER, MALE, 0.100IN, 80PIN, 2X40	Samtec	TSW-140-23-T-D (RoHS)
1003890	A	1	Y6	CRYSTAL, 12.000MHZ, 50PPM, TH	Abrakon	ABL-12.000MHZ-T (RoHS)
1003891	A	1	Y3	CRYSTAL, 14.318 MHZ, 50PPM, TH	Abrakon	ABL-14.31818MHZ-T (RoHS)
1003892	A	2	Y1, Y4	CRYSTAL, 25.000MHZ, 50PPM, TH	Abrakon	ABL-25.000MHZ-F-T (RoHS)
1003893	A	1	J5	CONNECTOR, HEADER, MALE, 0.100IN, 3PIN, 1X3, FRICTION LOCK	Molex	22-27-2031 (RoHS)
1003895	A	1	U6	IC, DDR TERMINATION REGULATOR, SOP-8	National	LP2995MX/NOPB
1003896	A	3	C36-C38	CAP, ELECTROLYTIC, 680UF, 2.5V, LOW ESR, SMT	SANYO	2R5TPD680M (RoHS)
1003897	A	4	D11-D14	DIODE, SCHOTTKY, 40V, 1A, DO-214AC	Fairchild	SS14
1003898	A	1	Q49	MOSFET, N-CH, 100V, 5.6A, .2 OHM, D2-PAK	International Rectifier	IRF520NSPBF
1003900	A	1	P1	CONNECTOR, USB HOST DUAL/RJ45, W/ MAGNETICS, AUTO MDX	Kycon	GSPX-B-S2-GG-9100
1003901	A	1	U106	IC, HEX BUFFER, OPEN DRAIN, LV, TVSOP 14	Texas Instruments	SN74LV07ADGVRE4
1003902	A	2	C251, C252	CAP, CERAMIC, 22UF, 6.3V, X5R, 0805	TDK Corporation	C2012X5R0J226M (RoHS)
1003903	A	1	D16	DIODE, ZENER, 3.3V, 500MW, SOD-123	ON Semiconductor	MMSZ4684T1G
1003906	A	1	U2	IC, DUAL COMPARATOR, 2-36 V SUPPLY, SOIC-8	TI	LM2903DRE4
1003907	A	3	R17, R18, R269	RESISTOR, 470 OHM, 1/16W, 5%, 0402	Panasonic	ERJ-2GEJ471X (RoHS)



Part Number	Item Rev	Qty	Ref Des	Item Description	Initial MFG Name	Initial MFG Part Number
1003908	A	11	R19, R26, R27, R37-R40, R42-R44, R66	RESISTOR, 680 OHM, 1/16W, 5%, 0402	Panasonic	ERJ-2GEJ681X (RoHS)
1003910	A	2	C233, C348	CAP, CERAMIC, 2200PF, 50V, X7R, 0603	Panasonic	ECJ-1VB1H222K (RoHS)
1003913	A	1	C257	CAP, CERAMIC, 1UF, 16V, Y5V, 0805	Kemet	C0805C105K4RACTU (RoHS)
1003914	A	9	C222-C229, C231	CAP, CERAMIC, 220PF, 50V, X7R, 0402	Panasonic	ECJ0EB1H221K (RoHS)
1003915	A	7	C260-C262, C264-C266, C268	CAP, CERAMIC, 1UF, 25V, X7R, 1210	Venkel	C1210X7R250-105KNB (RoHS)
1003916	A	1	C128	CAP, CERAMIC, 20PF, 50V, NPO, 0402	Panasonic	ECJ0EC1H220J (RoHS)
1003917	A	6	C179-C184	CAP, CERAMIC, 6.8PF, 50V, NPO, 0603	AVX	06035A6R8JAT2A (RoHS)
1003918	A	1	C207	CAP, CERAMIC, 10UF, 10V, X5R, 1206	Panasonic	ECJ-3YB1A106M (RoHS)
1003919	A	3	C13-C15	CAP, CERAMIC, 39PF, 50V, NPO, 0603	Panasonic	ECJ-1VC1H390J (RoHS)
1003920	A	1	C331	CAP, CERAMIC, 10UF, 25V, X5R, 1206	Panasonic	ECJ-3YB1E106M (RoHS)
1003921	A	6	C19, C22, C25, C28, C31, C34	CAP, CERAMIC, 4.7UF, 6.3V, X5R, 0603	TDK	C1608X5R0J475M (RoHS)
1003922	A	4	C322, C323, C328, C329	CAP, CERAMIC, 22UF, 16V, X5R, 1210	Panasonic	ECJ-4YB1C226M (RoHS)
1003923	A	16	C11, C18, C21, C24, C27, C30, C33, C45, C46, C49, C50, C119, C185, C299, C306, C318	CAP, CERAMIC, 10UF, 6.3V, X5R, 0805	Panasonic	ECJ-2FB0J106M (RoHS)
1003924	A	2	C324, C330	CAP, CERAMIC, 1UF, 25V, X7R, 1206	Panasonic	ECJ-3YB1E105K (RoHS)
1003925	A	17	C55-C57, C62, C83, C133-C135, C145, C147, C162, C176, C279, C293, C294, C297, C304	CAP, TANTALUM, 10UF, 6.3V, 3216	Kemet	T491A106K006AS (RoHS)
1003927	A	1	Y2	CRYSTAL, 32.768KHZ, 20PPM, CYL	Abracon	AB26T-32.768KHZ (RoHS)
1003928	A	1	U22	IC, DIGITAL LOGIC/LATCHES, QUAD 2-INPUT, NAND GATE, 14-SOIC	Texas Instruments	SN74HC00DE4
1003931	A	18	RN1-RN18	RESISTOR, ARRAY (4) 10 OHM, 5%, SMT	Panasonic	EXB-28V100JX (RoHS)
1003932	A	1	R316	RESISTOR, 27K OHM, 1/10W, 5%, 0603	Panasonic	ERJ-3GSYJ273V (RoHS)
1003933	A	3	R213, R214, R273	RESISTOR, 2.7K OHM, 1/10W, 5%, 0603	Panasonic	ERJ-3GSYJ272V (RoHS)



Part Number	Item Rev	Qty	Ref Des	Item Description	Initial MFG Name	Initial MFG Part Number
1003934	A	7	R110, R111, R114, R115, R128, R137, R398	RESISTOR, 150 OHM, 1/16W, 1%, 0603	Panasonic	ERJ-3EKF1500V (RoHS)
1003937	A	1	R328	RESISTOR, 51K OHM, 1/16W, 5%, 0603	Yageo America	9C06031A5102JLHFT (RoHS)
1003938	A	1	R458	RESISTOR, 11K OHM, 1/16W, 5%, 0402	Panasonic	ERJ-2GEJ113X (RoHS)
1003939	A	5	R280, R282, R288-R290	RESISTOR, 5.1K OHM, 1/16W, 5%, 0402	Panasonic	ERJ-2GEJ512X (RoHS)
1003940	A	1	R63	RESISTOR, 300 OHM, 1/16W, 1%, 0402	Yageo America	9C04021A3000FLHF3 (RoHS)
1003941	A	1	R150	RESISTOR, 10M OHM, 1/16W, 5%, 0402	Venkel	CR0402-16W-106JT (RoHS)
1003942	A	1	R285	RESISTOR, 2K OHM, 1/16W, 1%, 0402	Venkel	CR0402-16W-2001FT (RoHS)
1003943	A	1	R344	RESISTOR, 4.7 OHM, 1/16W, 5%, 0603	Panasonic	ERJ-3GEYJ4R7V (RoHS)
1003944	A	1	R397	RESISTOR, 47.5 OHM, 1/10W, 1%, 0805	Panasonic	ERJ-6ENF47R5V (RoHS)
1003946	A	1	R308	RESISTOR, 232K OHM, 1/10W, 1%, 0805	Panasonic	ERJ-6ENF2323V (RoHS)
1003947	A	1	R318	RESISTOR, 28.0K, OHM, 1/16W, 1%, 0603	Panasonic	ERJ-3EKF2802V (RoHS)
1003949	A	1	R65	RESISTOR, 200 OHM, 1/16W, 1%, 0603	Panasonic	ERJ-3EKF2000V (RoHS)
1003950	A	1	R399	RESISTOR, 68.1 OHM, 1/16W, 1%, 0603	Panasonic	ERJ-3EKF68R1V (RoHS)
1003951	A	3	R452, R456, R466	RESISTOR, 20K OHM, 1/16W, 5%, 0402	Panasonic	ERJ-2GEJ203X (RoHS)
1003952	A	2	R20, R317	RESISTOR, 510 OHM, 1/16W, 5%, 0402	Panasonic	ERJ-2GEJ511X (RoHS)
1003954	A	1	R315	RESISTOR, 121K OHM, 1/16W, 1%, 0402	Panasonic	ERJ-2RKJ1213X (RoHS)
1003959	A	2	CR1, CR2	DIODE, SCHOTTKY, DUAL, COMMON CATHODE, 30V 200MA SOT-23	Diodes Inc	BAT54C-7-F
1003960	A	1	Q12	TRANSISTOR, PNP, -40V, -200MA SOT-23	FAIRCHILD	MMBT3906 (RoHS)
1003975	A	1	U8	IC, 10/100M FAST ETHERNET PHYCEIVER, LQFP-48, REV D	REALTEK	RTL8201CL-VD-LF
1003983	A	1	U13	IC, AUDIO CODEC, STEREO	Realtek	ALC203-LF
1003984	A	3	C199, C286, C287	DIODE, ZENER, 200V, 3W, SMB	ON SEMICONDUCTOR	1SMB5956BT3G
1003985	A	1	C232	CAP, ELECTROLYTIC, 22UF, 16V, SMT	NICHICON	UWT1C220MCL1GB (RoHS)



Part Number	Item Rev	Qty	Ref Des	Item Description	Initial MFG Name	Initial MFG Part Number
1003996	A	1	CLK2	IC, DDR CLOCK BUFFER, 2 DIMM, SSOP-28	Winbond	W83176G-732
1003997	A	1	CLK1	IC, GLOCK GEN FOR SIS741/964, SSOP-48	Winbond	W83194BG-703
1003998	A	2	L47, L48	INDUCTOR, POWER, 1.62UH, 11A, 15%, TH	Falco Electronic	T03816
1003999	A	1	L46	INDUCTOR, POWER, 1.1UH, 4A, 12%, TH	Falco Electronic	T03L04
1004035	A	10	Q6, Q7, Q10, Q13, Q16, Q20, Q37, Q39-Q41	TRANSISTOR, NPN, 40V, 200MA, SOT-23	FAIRCHILD	MMBT3904 (RoHS)
1004096	A	5	F1-F5	FUSE, POLYSWITCH 1.5A RESETABLE FUSE SMD 1206	LITTLEFUSE	1206L150WRT (RoHS)
1004097	A	3	R275, R277, R279	RESISTOR, 560K OHM, 1/16W, 1%, 0603	Yageo America	9C06031A5603FKHFT (RoHS)
1000201	A	0		LABEL, PART NUMBER, REVISION, SERIAL NUMBER, BAR CODE		
1000196	A	0		LABEL, MAC ADDRESS IDENTIFICATION		
1003976	A	1	U1	SOCKET, 453PIN, SOCKETA, FOR AMD ANX1500	Method Electronics, Inc.	M43T-40-462-01G
1004009	A	1	NX1500	IC PROCESSOR AMD NX1500	AMD	ANXL 1500FGC3M
1001123	A	1	H1	HEATSINK, AMD GEODE	AVC	S7YBJ00001
1001124	A	1	H2	HEATSINK, SIS NORTHBRIDGE	Vette Taiwan CO., LTD	100873
1003973	A	1	EEPROM	IC, PLCC32, PROGRAMMED WITH AMI BIOS 4002		
1003005	A	0		IC, FLASH, FIRMWARE HUB 4MBIT, PLCC32	SST	SST49LF004B-33-4C-NHE
1003594	A	0		SOFTWARE, BIOS, AMI GEODE NX, BUILD 6		
1004003	A	1	U14	CONNECTOR, PLCC SOCKET, 32PIN SMT W/POSTS	Mill-Max	540-44-032-17-400000
1003303	A	2	JP38, JP39	JUMPER, 2PIN, 0.100, 30 AU, BLACK, HANDLE	AMP	881545-2
1003371	A	1	BATTERY	BATTERY, LITIUM COIN CELL, 20MMX3.2M	Panasonic	BR2032
1004039	A	1		IC, RAM, 256 MB DDR, 184 PIN DIMM	SMART	SB5643285D8N6CL
1003977	A	1	DDR_DIMM1	CONNECTOR, SOCKET, DIMM-184, THROUGH HOLE	AMP	5390241-1