Revision: 2.0 Date: 16.07.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

M	ICROE
	EASUREMENTS
	A VPG Brand

www.vishaypg.com

1.1	Product identifier	
	Product Name	Sauereisen DKS-8 Cement
	Chemical Name	Mixture
	CAS No.	Mixture
	EINECS No.	Mixture
	REACH Registration No.	None assigned.
1.2	Relevant identified uses of the substance or mixture	
	and uses advised against	
	Identified Use(s)	PC14 Metal surface treatment products, including galvanic and electroplating
		products.
	Uses Advised Against	None known.
1.3	Details of the supplier of the safety data sheet	
	Company Identification	VISHAY MEASUREMENTS GROUP, INC.
		Post Office Box 27777
		Raleigh, NC 27611
		USA
	Telephone	919-365-3800
	Fax	919-365-3945
	E-Mail (competent person)	mm.us@vishaypg.com
1.4	Emergency telephone number	1-800-424-9300
		CHEMTREC

2.	SECTION 2: HAZARDS IDENTIFICATION	
2.1	Classification of the substance or mixture	
2.1	GHS Classification	Not classified as dangerous for supply/use.
2.2	Label elements	GHS Classification
	Product Name	Sauereisen DKS-8 Cement
	Hazard Pictogram(s)	None assigned.
	Signal Word(s)	None assigned.
	Hazard Statement(s)	None assigned.
	Precautionary Statement(s)	None assigned.
	Additional Information	None.
2.3	Other hazards	May form flammable dust clouds in air.

Revision: 2.0 Date: 16.07.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

GHS Classification

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard Statement(s)
Zirconium silicate	< 78	14940-68-2	14940-68-2	None assigned	Not classified
Magnesium hydrogenphosphate	< 18	1308-38-9	231-823-5	None assigned	Not classified
Magnesium oxide	<15	1309-48-4	215-171-9	None assigned	Not classified
Crystalline silica	< 1	14808-60-7	238-878-4	None assigned	STOT RE 1; H372

H372: Causes damage to organs through prolonged or repeated exposure.

4. SECTION 4: FIRST AID MEASURES



Description of first aid measures	
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin Contact	Brush off loose particles from skin. Wash with plenty of water. If irritation (redness, rash, blistering) develops, get medical attention.
Eye Contact	Remove particles by irrigating with eye wash solution or clean water, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
Ingestion	Rinse mouth. Do not induce vomiting. If symptoms develop, obtain medical attention.
Most important symptoms and effects, both acute and delayed	Mechanical irritation of the respiratory tract. Mechanical irritation of the skin and eyes.
Indication of any immediate medical attention and special treatment needed	Unlikely to be required but if necessary treat symptomatically.
	Inhalation Skin Contact Eye Contact Ingestion Most important symptoms and effects, both acute and delayed Indication of any immediate medical attention and

5. SECTION 5: FIREFIGHTING MEASURES

5.1	Extinguishing media	
	Suitable Extinguishing media	Extinguish with carbon dioxide, dry chemical, foam or waterspray.
	Unsuitable extinguishing media	Do not use water jet. Direct water jet may spread the fire.
5.2	Special hazards arising from the substance or mixture	May form flammable dust clouds in air.
5.3	Advice for fire-fighters	Fire fighters should wear complete protective clothing including self-contained
		breathing apparatus. Do not breathe fumes. Keep containers cool by spraying
		with water if exposed to fire. Avoid run off to waterways and sewers.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	Use personal protective equipment as required. See Section: 8. Avoid breathing dust.
6.2	Environmental precautions	Avoid release to the environment. Do not allow to enter drains, sewers or watercourses.
6.3	Methods and material for containment and cleaning up	Sweep up spilled substance but avoid making dust.Transfer to a container for disposal.
6.4	Reference to other sections	See Section: 8, 13

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid breathing dust. Avoid generation of dust. Avoid contact with skin, eyes or



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

7.2 Conditions for safe storage, including any incompatibilities
 Storage temperature
 Storage life
 Incompatible materials
 7.3 Specific end use(s)

clothing. Ensure adequate ventilation. Use personal protective equipment as required. See Section: 8. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Take precautionary measures against static discharge. Store in a cool/low-temperature, well-ventilated (dry) place. Keep container closed. Ambient. Stable under normal conditions. None known. PC14 Metal surface treatment products, including galvanic and electroplating products. See Section: 1.2

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Quartz (SiO2)	14808-60-7	-	0.05	-	-	NIOSH
Quartz (SiO2)	14808-60-7	-	30/(%silica+2) total dust 10/(%silica+2) respirable dust	-	-	OSHA

Note: OSHA 1910.1000 TABLE Z-1 and Z-3/ NIOSH

(1): Total dust

(2): Inhalable dust

- 8.1.2 Biological limit value
- 8.1.3 PNECs and DNELs
- 8.2 Exposure controls
- 8.2.1 Appropriate engineering controls
- 8.2.2 Individual protection measures, such as personal protective equipment (PPE)

Not established. Not established.

Ensure adequate ventilation or use appropriate containment. General hygiene measures for the handling of chemicals are applicable. Avoid contact with skin, eyes or clothing. Do not breathe dust. Wash hands before breaks and after work. Keep work clothes separately. Contaminated clothing should be thoroughly cleaned. Do not eat, drink or smoke at the work place.

Wear eye protection with side protection (EN166). Contact lenses should not be worn.

Hand protection: Wear impervious gloves (EN374). Gloves should be changed regularly to avoid permeation problems. Breakthrough time of the glove material: refer to the information provided by the gloves' producer. Recommended: Neoprene or Butyl rubber.

Body protection: Wear dust-resistant protective clothing. Recommended: Wear work clothes with long sleeves.

Wear suitable respiratory protective equipment if processing involves working in areas where dusts or vapours are likely to be evolved. A suitable dust mask or dust respirator with filter type P (EN143 or EN405) may be appropriate.

Not applicable.

Avoid release to the environment.



Eye/ face protection



Respiratory protection



Thermal hazards

8.2.3 Environmental Exposure Controls



Revision: 2.0 Date: 16.07.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical pro		
	Appearance	White to tan powder	
	Odour	No odour	
	Odour threshold	Not available.	
	рН	Not established.	
	Melting point/freezing point	Not applicable.	
	Initial boiling point and boiling range	Not applicable.	
	Flash point	Not applicable.	
	Evaporation rate	Not applicable.	
	Flammability (solid, gas)	Non-flammable.	
	Upper/lower flammability or explosive limits	Not applicable.	
	Vapour pressure	Not applicable.	
	Vapour density	Not applicable.	
	Relative density	4.5 (H2O=1)	
	Solubility(ies)	Not applicable.	
	Partition coefficient: n-octanol/water	Not available.	
	Auto-ignition temperature	Not available.	
	Decomposition Temperature	Not available.	
	Viscosity	Not available.	
	Explosive properties	Not explosive.	
	Oxidising properties	Not oxidising.	
9.2	Other information	VOC: 0%	
40			

10. SECTION 10: STABILITY AND REACTIVITY

10.1	Stability and reactivity	Stable under normal conditions.
10.2	Chemical stability	Stable under normal conditions.
10.3	Possibility of hazardous reactions	Hazardous polymerisation will not occur.
10.4	Conditions to avoid	Avoid generation of dust.
10.5	Incompatible materials	None known.
10.6	Hazardous decomposition product(s)	None known.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects (Substances in p Acute toxicity	preparations / mixtures)
	Ingestion	Based upon the available data, the classification criteria are not met.
		Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day.
	Inhalation	Based upon the available data, the classification criteria are not met.
		Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 5 mg/l.
	Skin Contact	Based upon the available data, the classification criteria are not met.
		Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg
	Skin corrosion/irritation	bw/day.
		Based upon the available data, the classification criteria are not met.
	Serious eye damage/irritation	Based upon the available data, the classification criteria are not met.
	Respiratory or skin sensitization	Based upon the available data, the classification criteria are not met.
	Germ cell mutagenicity	Based upon the available data, the classification criteria are not met.
	Carcinogenicity	Based upon the available data, the classification criteria are not met.
	Reproductive toxicity	Based upon the available data, the classification criteria are not met.
	STOT - single exposure	Based upon the available data, the classification criteria are not met.
	STOT - repeated exposure	Based upon the available data, the classification criteria are not met.
	Aspiration hazard	Based upon the available data, the classification criteria are not met.
11.2	Other information	
	NTP Report on Carcinogens	Not listed



www.vishaypg.com

Revision: 2.0 Date: 16.07.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830



IARC Monographs Silicon dioxide (CAS# 14808-60-7) - Group 1: Carcinogenic to humans. 12. SECTION 12: ECOLOGICAL INFORMATION 12.1 Toxicity Based upon the available data, the classification criteria are not met. Estimated Mixture LC50 >100 mg/l (Fish) 12.2 Persistence and degradability The product shows no evidence for biodegradability in soil. 12.3 **Bioaccumulative potential** The product has no potential for bioaccumulation. Mobility in soil 12.4 The product is predicted to have low mobility in soil. 12.5 Results of PBT and vPvB assessment Not classified as PBT or vPvB. 12.6 Other adverse effects None known. 13. SECTION 13: DISPOSAL CONSIDERATIONS 13.1 Waste treatment methods Send after pre-treatment to an appropriate hazardous waste incinerator facility according to legislation. 13.2 Additional Information Dispose of contents in accordance with local, state or national legislation. 14. **SECTION 14: TRANSPORT INFORMATION** Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'. ADR/RID / IMDG / IATA 14.1 **UN number** Not classified as dangerous for transport. 14.2 UN proper shipping name Not classified 14.3 Transport hazard class(es) Not classified 14.4 Packing group Not classified 14.5 **Environmental hazards** Not classified as a Marine Pollutant / Environmentally hazardous substance 14.6 Special precautions for user Not applicable. 14.7 Transport in bulk according to Annex II of MARPOL Not applicable. 73/78 and the IBC Code 14.8 Additional Information None. **SECTION 15: REGULATORY INFORMATION** 15. 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.1 National regulations OSHA Occupational Safety and Health Standards None 15.1.2 European regulations Substances of Very High Concern (SVHCs) None.

16. SECTION 16: OTHER INFORMATION

Wassergefährdungsklasse (Germany)

Chemical Safety Assessment

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS), Existing ECHA registration(s) for Magnesium hydrogen phosphate (CAS No. 7757-86-0) and the Classification and Labelling Inventory for Zirconium silicate (CAS No. 14940-68-2), Magnesium oxide (CAS No. 1309-48-4) and Crystalline silica (CAS No. 14808-60-7).

Water hazard class: 1

Not available.

LEGEND LTEL Long Term Exposure Limit STEL Short Term Exposure Limit DNEL Derived No Effect Level PNEC Predicted No Effect Concentration

15.2

Revision: 2.0 Date: 16.07.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830



PBT	PBT: Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative
NTP	National Toxicology Program
IARC	International Agency for Research on Cancer
OSHA	The Occupational Safety & Health Administration
NIOSH	National Institute for Occupational Safety and Health

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.