Revision: 2.1 Date: 30.09.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypq.com

## 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name PCH-6 PCH-6C PCH-11 PCH-11C PLH-2 PLH-3

Chemical Name Mixture
CAS No. Mixture
EINECS No. Mixture
REACH Registration No. None assigned.

1.2 Relevant identified uses of the substance or mixture

and uses advised against

Identified Use(s) Photostress® measurements.

Uses Advised Against None known.

1.3 Details of the supplier of the safety data sheet

Company Identification VISHAY MEASUREMENTS GROUP, INC.

Post Office Box 27777 Raleigh, NC 27611

USA

 Telephone
 919-365-3800

 Fax
 919-365-3945

E-Mail (competent person) mm.us@vishaypg.com

1.4 Emergency telephone number 1-800-424-9300

CHEMTREC

# 2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

**2.1.1 GHS Classification** Skin Corr. 1B; H314

Skin Sens. 1; H317 Acute Tox. 3; H331 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

2.2 Label elements GHS Classification Product Name PCH-6 PCH-6C

Hazard Pictogram(s)







Signal Word(s) Danger

Contains: Styrene, oligomers, 2,2'-Iminodi(ethylamine) and Nonylphenol.

Hazard Statement(s) H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H331: Toxic if inhaled.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary Statement(s) P280: Wear protective gloves/protective clothing/eye protection.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all

Revision: 2.1 Date: 30.09.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com

contaminated clothing. Rinse skin with water/shower.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

2.3 Other hazards None

## 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

**GHS Classification** 

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard Statement(s)
Fatty Acid Amide (9,12- Octadecadienoic acid (9Z,12Z)-, dimer, polymer with 3,3'-[oxybis(2,1- ethanediyloxy)]bis[1-propanamine])	70 - 75	68541-13-9	-	None assigned	Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 1; H410
Styrene, oligomers	18 – 20	9003-53-6	500-008-9	None assigned	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Acute Tox. 4; H332
2,2'-Iminodi(ethylamine)	6 – 8	111-40-0	203-865-4	None assigned	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Corr. 1B; H314 Skin Sens. 1; H317 Acute Tox. 2; H330 STOT SE 3; H335
Nonylphenol	< 3	25154-52-3	246-672-0	None assigned	Acute Tox. 4; H302 Skin Corr. 1B; H314 Repr. 2; H361fd Aquatic Acute 1; H400 Aquatic Chronic 1; H410

H226: Flammable liquid and vapour. H302: Harmful if swallowed. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H330: Fatal if inhaled. H332: Harmful if inhaled. H335: May cause respiratory irritation. H361fd: Suspected of damaging fertility. Suspected of damaging the unborn child. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects.

# 4. SECTION 4: FIRST AID MEASURES



# 4.1 Description of first aid measures

Inhalation

Skin Contact

Eye Contact

Ingestion

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Call a POISON CENTER/doctor.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Contaminated clothing should be thoroughly cleaned. Immediately call a POISON CENTER/doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Treatment by an ophthalmologist due to possible caustic burn of the eyes may be required.

IF SWALLOWED: Rinse mouth. Make victim drink plenty of water. Do not induce vomiting unless instructed to do so by medical personnel. Immediately call a POISON CENTER/doctor.

Revision: 2.1 Date: 30.09.2015

special treatment needed



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypq.com

4.2 Most important symptoms and effects, both acute and

Indication of any immediate medical attention and

4.3

6.2

7.3

swallowing may result in burns/ulceration of mouth, stomach and lower gastrointestinal tract with subsequent stricture. Aspiration of vomitus may cause

Causes severe skin burns and eye damage. Due to irritant properties,

lung injury. May cause an allergic skin reaction. Toxic if inhaled.

Treat symptomatically.

IF SWALLOWED: Immediately call a POISON CENTER/doctor. Suggest

endotracheal/esophageal control if lavage is done. IF INHALED: Call a POISON CENTER/doctor.

IF IN EYES: Obtain prompt consultation, preferably from an ophthalmologist.

Chemical eye burns may require extended irrigation.

Respiratory symptoms, including pulmonary edema, may be delayed. Persons receiving significant exposure should be observed 24-48 hours for signs of

respiratory distress.

#### 5. SECTION 5: FIREFIGHTING MEASURES

5.1 **Extinguishing media** 

Suitable Extinguishing media

As appropriate for surrounding fire. Extinguish preferably with foam, carbon dioxide or dry chemical.

Direct water jet may spread the fire. Do not direct a solid stream of water or foam into hot, burning pools; this may cause spattering and increase fire

intensity.

5.2 Special hazards arising from the substance or mixture

May decompose in a fire giving off toxic fumes. Decomposes in a fire giving off toxic fumes: Carbon monoxide, Carbon dioxide and Nitrogen oxides.

5.3 Advice for fire-fighters

Unsuitable extinguishing media

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES** 6.

6.1 Personal precautions, protective equipment and

emergency procedures

Avoid breathing vapours. Avoid all contact. Ensure adequate ventilation. Stop leak if safe to do so. Use personal protective equipment as required. See

Section: 8.

Avoid release to the environment. Do NOT wash away into sewer. Spillages or uncontrolled discharges into watercourses must be alerted to the Environment Agency or other appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Ensure full personal protection (including respiratory protection) during removal of spillages. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Ventilate the area and wash spill site after material pick-up is complete. Dispose of this material and its container as hazardous waste.

6.4 Reference to other sections

**Environmental precautions** 

See Section: 8, 13

### 7. **SECTION 7: HANDLING AND STORAGE**

7.1 Precautions for safe handling Avoid contact with skin, eyes or clothing. Do not breathe vapour. Ensure adequate ventilation. Use personal protective equipment as required. See Section: 8. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

> Storage temperature Storage life

Incompatible materials

Specific end use(s)

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Keep away from heat, sources of ignition and direct sunlight.

Ambient.

Stable under normal conditions.

Keep away from: Nitrosating agents, strong bases, Acids, Strong oxidising

agents, Copper (Brass and Bronze) and Amines.

Do not use sodium nitrite or other nitrosating agents in formulations containing this product. Suspected cancer-causing nitrosamines could be formed.

Photostress® measurements.

Revision: 2.1 Date: 30.09.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypq.com

### 8. **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1 **Control parameters**

#### 8.1.1 **Occupational Exposure Limits**

SUBSTANCE	CAS No.	LTEL (8 hr	LTEL (8 hr TWA	STEL	STEL	Note
		TWA ppm)	mg/m³)	(ppm)	(mg/m³)	
2,2'-Iminodi(ethylamine)	111-40-0	1	4.0	-	-	NIOSH

Note: National Institute for Occupational Safety and Health

8.1.2 Biological limit value Not established.

8.1.3 **PNECs and DNELs** Not established.

8.2 **Exposure controls** 

8.2.1 Appropriate engineering controls Ensure adequate ventilation or use appropriate containment. Atmospheric levels

should be controlled in compliance with the occupational exposure limit. Guarantee that the eye flushing systems and safety showers are located close

to the working place.

8.2.2 Individual protection measures, such as personal

protective equipment (PPE)

General hygiene measures for the handling of chemicals are applicable. Avoid contact with skin, eyes or clothing. Do not breathe vapour. Wash hands before breaks and after work. Keep work clothes separately. Do not eat, drink or smoke

at the work place.

Eye/ face protection Wear protective eye glasses for protection against liquid splashes. Wear eye

protection with side protection (EN166).

Skin protection



Hand protection: Wear impervious gloves (EN374). Gloves should be changed regularly to avoid permeation problems. Breakthrough time of the glove material: refer to the information provided by the gloves' producer. Recommended: Butyl rubber or Neoprene.

Body protection: Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection Work in well ventilated zones or use proper respiratory protection. Open system(s): Wear suitable respiratory protection.

Curing: Local exhaust ventilation is required. Guarantee sufficient ventilation

during and after use, in order to prevent vapour accumulation.

Thermal hazards Not applicable.

**Environmental Exposure Controls** Avoid release to the environment. 8.2.3

### 9. **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1 Information on basic physical and chemical properties

**Appearance** 

Odour Odour threshold

Melting point/freezing point

Initial boiling point and boiling range

Flash point Evaporation rate Flammability (solid, gas) Brown coloured liquid Faint Ammonia Odour Not available.

Not established. Not established.

199°C

102°C [Closed cup] <1 (BuAc = 1)

Not applicable - Liquid.

Revision: 2.1 Date: 30.09.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypq.com

Upper/lower flammability or explosive limits Not available. Vapour pressure <1 (mmHg) Vapour density >1 (Air = 1) 0.99 (H2O = 1)Relative density Solubility(ies) Insoluble in water. Partition coefficient: n-octanol/water Not available. Auto-ignition temperature Not available. **Decomposition Temperature** Not available. Viscosity Not available. Explosive properties Not explosive. Oxidising properties Not oxidising.

9.2 Other information None

#### 10. SECTION 10: STABILITY AND REACTIVITY

10.1 Stability and reactivity Stable under normal conditions 10.2 **Chemical stability** Stable under normal conditions.

10.3 Possibility of hazardous reactions Reaction with some curing agents may produce considerable heat.

Can react vigorously with strong Lewis or mineral acids and strong mineral and

organic bases, especially primary and secondary aliphatic amines.

Do not use sodium nitrite or other nitrosating agents in formulations containing this product. Suspected cancer-causing nitrosamines could be formed.

10.4 Conditions to avoid Keep away from heat, sources of ignition and direct sunlight.

10.5 Incompatible materials Keep away from: Nitrosating agents, strong bases, Acids, Strong oxidising

agents, Copper (Brass and Bronze) and Amines.

10.6 Hazardous decomposition product(s) Decomposes in a fire giving off toxic fumes: Nitrogen oxides, Carbon monoxide

and Carbon dioxide.

### 11. SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects (Substances in preparations / mixtures)

Acute toxicity

Ingestion Based upon the available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg

Inhalation Acute Tox. 3: Toxic if inhaled.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 6.6 mg/l. Skin Contact

Based upon the available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg

bw/day.

Skin corrosion/irritation Skin Corr. 1B: Causes severe skin burns. Serious eye damage/irritation Skin Corr. 1B: Causes serious eye damage. Respiratory or skin sensitization Skin Sens. 1: May cause an allergic skin reaction.

Germ cell mutagenicity Based upon the available data, the classification criteria are not met. Carcinogenicity Based upon the available data, the classification criteria are not met. Reproductive toxicity Based upon the available data, the classification criteria are not met. STOT - single exposure Based upon the available data, the classification criteria are not met. STOT - repeated exposure Based upon the available data, the classification criteria are not met. Aspiration hazard Based upon the available data, the classification criteria are not met.

11.2 Other information

NTP Report on Carcinogens Not listed Not listed IARC Monographs

### 12. **SECTION 12: ECOLOGICAL INFORMATION**

12.1 **Toxicity** Aquatic Acute 1: Very toxic to aquatic life.

Aquatic Chronic 1: Very toxic to aquatic life with long lasting effects.

Revision: 2.1 Date: 30.09.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypq.com

Estimated M	istura I CEO	. 1 /1	(Ciob)
Estimated ivi	ixture i Cau	< 1 ma/i	(FISD)

12.2 Persistence and degradability Part of the components are poorly biodegradable.

12.3 Bioaccumulative potential No data for the mixture as a whole.

Mobility in soil The product is predicted to have low mobility in soil. Insoluble in water. 12.4

12.5 Results of PBT and vPvB assessment Not classified as PBT or vPvB.

12.6 Other adverse effects None known.

### 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not release undiluted and unneutralised to the sewer. This material and its

> container must be disposed of as hazardous waste. Send after pre-treatment to a appropriate hazardous waste incinerator facility according to legislation.

13.2 **Additional Information** Dispose of contents in accordance with local, state or national legislation.

### **SECTION 14: TRANSPORT INFORMATION** 14.

ADR/RID / IMDG / IATA

**UN** number 14.1 UN 1760

14.2 **UN proper shipping name** CORROSIVE LIQUID N.O.S (CONTAINS 2,2'-Iminodi(ethylamine) and

Nonylphenol)

14.3 Transport hazard class(es) 8

14.4 Packing group

Ш 14.5 **Environmental hazards** Classified as a Marine Pollutant/Environmentally hazardous substance.

14.6 Special precautions for user See Section: 2 14.7 Transport in bulk according to Annex II of MARPOL Not applicable.

73/78 and the IBC Code

**Additional Information** 14.8 None

### **SECTION 15: REGULATORY INFORMATION** 15.

15.1 Safety, health and environmental

regulations/legislation specific for the substance or

mixture

15.1.1 **National regulations** 

> OSHA Occupational Safety and Health Standards None

15.1.2 **European regulations** 

Nonylphenol (CAS# 25154-52-3): REACH: ANNEX XVII restrictions on the

Authorisations and/or Restrictions On Use manufacture, placing on the market and use of certain dangerous substances,

preparations and articles - Entry number: 46.

Substance(s) of Very High Concern (SVHCs) None

15.1.2 **National regulations** Water hazard class: 3

15.2 **Chemical Safety Assessment** Not available.

### 16. **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS), Harmonised Classification(s) for 2,2'-iminodiethylamine (CAS# 111-40-0) and Nonylphenol (CAS# 25154-52-3). Existing ECHA registration(s) for 2,2'-iminodiethylamine (CAS# 111-40-0), and the Classification and Labelling Inventory for Fatty Acid Amide (9,12-Octadecadienoic acid (9Z,12Z)-, dimer, polymer with 3,3'-[oxybis(2,1-ethanediyloxy)]bis[1-propanamine]) (CAS# 68541-13-9) and Styrene, oligomers (CAS# 9003-53-6). DATA SOURCES: http://webnet.oecd.org/ccrweb/ChemicalDetails.aspx?ChemicalID=60FC6DB0-EAD6-40B6-AC16-5292271FF276

Revision: 2.1 Date: 30.09.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypq.com

GHS Classification of the substance or mixture	Classification Procedure
Skin Corr. 1B; H314	Threshold Calculation
Skin Sens. 1; H317	Threshold Calculation
Acute Tox. 3; H331	Acute Toxicity Estimate Mixture Calculation
Aquatic Acute 1: H400	DATA SOURCES: Canadian EPA (CEPA)
Aquatic Chronic 1: H410	DATA SOURCES: Canadian EPA (CEPA)

### **LEGEND**

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration

PBT PBT: Persistent, Bioaccumulative and Toxic PPB very Persistent and very Bioaccumulative

NTP National Toxicology Program

IARC International Agency for Research on Cancer
OSHA The Occupational Safety & Health Administration
NIOSH National Institute for Occupational Safety and Health

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

### **Disclaimers**

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

## Annex to the extended Safety Data Sheet (eSDS)

No information available.