Revision: 1.1 Date: 15.09.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

PLM-4R

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name PLM-4R

Chemical Name Bisphenol A Diglycidyl Ether

CAS No. 25036-25-3
EINECS No. None assigned.
REACH Registration No. None assigned.

1.2 Recommended use of the chemical and restrictions

on use

Identified Use(s)Photostress® measurements.Uses Advised AgainstFor professional users only.

1.3 Supplier's details

Company Identification Vishay Measurements Group, Inc.

Post Office Box 27777 Raleigh, NC 27611

USA

 Telephone
 919-365-3800

 Fax
 919-365-3945

E-Mail (competent person) mm.us@vishaypg.com

1.4 Emergency Phone No. 1-800-424-9300 (U.S.)

CHEMTREC

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1 GHS Classification Skin Irrit. 2; Causes skin irritation.

Skin Sens. 1; May cause sensitization by skin contact.

Eye Irrit. 2; Causes serious eye irritation.

2.2 Label elements According to GHS Classification

Product Name PLM-4R

Hazard Pictogram(s)



Signal Word(s) Warning

Hazard Statement(s) H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation.

Precautionary Statement(s) P261: Avoid breathing vapours.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention.

2.3 Other hazards None.

Revision: 1.1 Date: 15.09.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Substances in preparations / mixtures

GHS Classification

Chemical identity of the	%W/W	CAS No.	EC No.	Hazard Statement(s)
substance				
Bisphenol A Diglycidyl	100	25036-25-3	-	Skin Irrit. 2; H315
Ether				Skin Sens. 1; H317
				Eye Irrit. 2; H319

3.2 Mixtures Not applicable.

4. SECTION 4: FIRST AID MEASURES



4.3

5.3

4.1 Description of first aid measures

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Maintain an open airway. Loosen tight clothing such

as a collar, tie, belt or waistband.

Skin Contact IF ON SKIN: Wash with plenty of soap and water. Take off contaminated

clothing and wash before reuse. If skin irritation or rash occurs: Get medical

advice/attention.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

Ingestion IF SWALLOWED: rinse mouth. Do NOT induce vomiting. If vomiting occurs

spontaneously, keep head below hips to prevent aspiration into the lungs. Make victim drink water. Do not give anything by mouth to an unconscious person.

Get medical advice/attention if you feel unwell.

4.2 Most important symptoms and effects, both acute

and delayed

Contains epoxy constituents. May produce an allergic reaction. Causes irritation

to eyes and skin.

Indication of any immediate medical attention and

special treatment needed

None known. Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing Media
Unsuitable extinguishing Media

Extinguish with carbon dioxide, dry chemical, foam or waterspray. Do not use water jet. Direct water jet may spread the fire.

May decompose in a fire giving off toxic fumes.

5.2 Special hazards arising from the substance or

mixture Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Avoid breathing vapours. Wear protective gloves/protective clothing/eye protection/face protection.

6.2 Environmental precautions

Do not allow to enter drains, sewers or watercourses.

6.3 Methods and material for containment and cleaning

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Dispose of this material and its container as hazardous waste.

Revision: 1.1 Date: 15.09.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

6.4 Reference to other sections See Section: 8, 13

7. **SECTION 7: HANDLING AND STORAGE**

7.1 Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing fumes. Ensure adequate ventilation. In case of inadequate ventilation wear respiratory protection. Wear protective gloves/protective clothing/eye protection/face protection. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

Ensure adequate ventilation.

7.2 Conditions for safe storage, including any

incompatibilities

Storage temperature

Storage life Incompatible materials Specific end use(s)

Ambient. Stable under normal conditions.

Strong Acids. Strong oxidising agents.

Photostress® measurements.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

7.3

8.1.1 **Occupational Exposure Limits** Not established.

8.1.2 **Biological limit value** Not established.

PNECs and DNELs 8.1.3 Not established.

8.2 **Exposure controls**

8.2.1 Appropriate engineering controls Ensure adequate ventilation.

8.2.2 Individual protection measures, such as personal

protective equipment (PPE)

Eye/face protection

Use personal protective equipment as required. Wash contaminated clothing before reuse. Avoid contact with skin and eyes.

Wear protective eye glasses for protection against liquid splashes. Wear eye protection with side protection (EN166). Have available eyewash bottle with clean water.

Skin protection



Wear impervious gloves (EN374). Breakthrough time of the glove material: refer to the information provided by the gloves' producer. The gloves type used must

be chosen based on the work activity and duration as well as

concentration/quantity of material being handled. Recommended: Butyl rubber,

Nitrile rubber, Neoprene, PVC.

Respiratory protection Do not use in areas without adequate ventilation. In case of inadequate ventilation wear respiratory protection.

Thermal hazards

Not applicable.

8.2.3 **Environmental Exposure Controls** Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES 9.

9.1 Information on basic physical and chemical properties

Appearance Clear Amber Coloured liquid

Odour Not available. Odour Threshold Not available. Not established. рΗ

Melting Point/Freezing Point Not available. 327°C Initial boiling point and boiling range

Revision: 1.1 Date: 15.09.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

Flash Point 235°C (Closed Cup)
Evaporation Rate Not available.
Flammability (solid, gas) Non-flammable.
Upper/lower flammability or explosive limits Not applicable.
Vapour pressure <1 mmHg
Vapour density Not available.

Relative density 1.17 (H2O = 1) (Mixture)

Solubility(ies) Insoluble. Partition coefficient: n-octanol/water Not available. Auto-ignition temperature Not applicable. **Decomposition Temperature** Not available. Viscosity Not available. Explosive properties Not available. Oxidising properties Not oxidising. Other information None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity
 10.2 Chemical stability
 Stable under normal conditions.
 Stable under normal conditions.

10.3 Possibility of hazardous reactions Combustion or thermal decomposition will evolve toxic and irritant vapours.

10.4 Conditions to avoid Avoid contact with heat and ignition sources and oxidizers.
 10.5 Incompatible materials Strong Oxidizing agents and Nitrates. Strong Acids and Alkalis.

10.6 Hazardous decomposition product(s) Decomposes in a fire giving off toxic fumes: Carbon monoxide, Carbon dioxide,

and Aldehydes.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects (Substances in preparations / mixtures)

Acute toxicity

9.2

11.2

Ingestion Not classified.
Inhalation Not classified.

Skin Contact May cause an allergic skin reaction. Causes skin irritation.

Eye Contact Causes serious eye irritation.

Irritation Eye Irrit. 2; Skin Irrit. 2 Causes serious eye irritation. Causes skin irritation.

Corrosivity Not classified.

Sensitisation Skin Sens. 1; May cause an allergic skin reaction.

 Repeated dose toxicity
 Not classified.

 Carcinogenicity
 Not classified.

 Mutagenicity
 Not classified.

 Toxicity for reproduction
 Not classified.

 Other information
 NTP: Not Listed

IARC Monographs: Not Listed OSHA Regulated: Not Listed

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity
 12.2 Persistence and degradability
 12.3 Bioaccumulative potential
 Not classified as a Marine Pollutant.
 Part of the components are biodegradable.
 The product has no potential for bioaccumulation.

12.4 Mobility in soil
 12.5 Results of PBT and vPvB assessment
 12.6 The product has low mobility in soil.
 12.7 Not classified as PBT or vPvB.

12.6 Other adverse effects None known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Send after pre-treatment to an appropriate hazardous waste incinerator facility

Revision: 1.1 Date: 15.09.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

according to legislation. Dispose of contents in accordance with local, state or

national legislation.

13.2 Additional Information None.

14. SECTION 14: TRANSPORT INFORMATION

		ADR/RID / IMDG / IATA
14.1	UN number	UN 3316
14.2	Proper Shipping Name	CHEMICAL KIT
14.3	Transport hazard class(es)	9
14.4	Packing group	III
14.5	Environmental hazards	None.
14.6	Special precautions for user	See Section: 2
14.7	Transport in bulk according to Annex II of	Not applicable.
	MARPOL73/78 and the IBC Code	
14.8	Additional Information	None.

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental

regulations/legislation specific for the substance or

mixture

None known.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS), the Classification and Labelling Inventory for Bisphenol A Diglycidyl Ether (CAS# 25036-25-3).

Classification of the substance or mixture According to	Classification Procedure	
Regulation (EC) No. 1272/2008 (CLP)		
Skin Irrit. 2; H315	Threshold Calculation	
Skin Sens. 1; H317	Threshold Calculation	
Eye Irrit. 2; H319	Threshold Calculation	

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration

PBT PBT: Persistent, Bioaccumulative and Toxic PvB PBT: very Persistent and very Toxic

NTP National Toxicology Program

IARC International Agency for Research on Cancer
OSHA Occupational Safety and Health Administration
NIOSH National Institute for Occupational Safety and Health

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

Revision: 1.1 Date: 15.09.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

No information available.