Revision: 1.1 Date: 09.05.2016



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

M-Line GC-6

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name M-Line GC-6 – Isopropyl Alcohol

Chemical Name Mixture
CAS No. Mixture
EINECS No. Mixture
REACH Registration No. None assigned.

1.2 Recommended use of the chemical and restrictions

on use

Identified Use(s) PC14 Metal surface treatment products, including galvanic and electroplating

products

Uses Advised Against None known.

1.3 Supplier's details

Company Identification VISHAY MEASUREMENTS GROUP UK LTD

Stroudley Road Basingstoke Hampshire RG24 8FW United Kingdom

 Telephone
 +44 (0) 1256 462131

 Fax
 +44 (0) 1256 471441

 E-Mail (competent person)
 mm.uk@vishaypg.com

1.4 Emergency Phone No. (00-1) 703-527-3887

CHEMTREC

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP) Flam. Liq. 2; Highly flammable liquid and vapour.

Eye Irrit. 2; Causes serious eye irritation.

STOT SE 3; Specific target organ toxicity — single exposure 3 (Inhalation and

Oral)

2.1.2 Directive 67/548/EEC & Directive 1999/45/EC F; R11: Highly flammable.

Xi; R36: Irritating to eyes.

R67: Vapours may cause drowsiness and dizziness.

2.2 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

Product Name M-Line GC-6

Hazard Pictogram(s)





Signal Word(s) Danger

Hazard Statement(s)

H225: Flammable liquid and vapour.

H319: Causes serious eve irritation

H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness.

Precautionary Statement(s) P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Document No. 14197 Page: 1 of 7 Revision L

Revision: 1.1 Date: 09.05.2016



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypq.com

P261: Avoid breathing vapours.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention. P308+P313: IF exposed or concerned: Get medical advice/attention.

2.3 Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS 3.

3.1 **Substances**

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	Hazard Statement(s)
propan-2-ol	100	67-63-0	200-661-7	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336

None.

Directive 67/548/EEC & Directive 1999/45/EC

Chemical identity of the substance	%W/W	CAS No.	EC No.	EC Classification and Risk Phrases
propan-2-ol	100	67-63-0	200-661-7	F; R11: Highly flammable. Xi; R36: Irritating to eyes. R67: Vapours may cause drowsiness and dizziness.

Mixtures Not applicable. 3.2

SECTION 4: FIRST AID MEASURES 4.



Description of first aid measures 4.1

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Call a POISON CENTER or doctor/physician if you

Skin Contact IF ON SKIN: Wash with plenty of soap and water. Take off contaminated

clothing and wash before reuse. If skin irritation occurs, get medical

advice/attention.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

If swallowed, rinse mouth with water (only if the person is conscious). Do not

induce vomiting. Obtain medical attention. If vomiting occurs spontaneously,

keep head below hips to prevent aspiration.

4.2 Most important symptoms and effects, both acute and

delayed

Ingestion

4.3 Indication of any immediate medical attention and

special treatment needed

May cause drowsiness or dizziness. May produce an allergic reaction in persons

already sensitised. Causes irritation to eyes and skin.

Unlikely to be required but if necessary treat symptomatically.

Revision: 1.1 Date: 09.05.2016



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypq.com

5. **SECTION 5: FIRE-FIGHTING MEASURES**

5.1 Extinguishing media

> Suitable Extinguishing Media Extinguish with carbon dioxide, dry chemical, foam or waterspray.

Unsuitable extinguishing Media Do not use water jet.

5.2 Special hazards arising from the substance or mixture May decompose in a fire giving off toxic fumes. Carbon monoxide, Carbon

> dioxide. Prevent liquid entering sewers, basements and workpits; vapour may create explosive atmosphere. Vapours are heavier than air and may travel

considerable distances to a source of ignition and flashback.

5.3 Advice for fire-fighters Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying

with water if exposed to fire. Avoid run off to waterways and sewers.

6. **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and Ensure adequate ventilation. Shut off leaks if without risk. Eliminate sources of emergency procedures

ignition. Avoid breathing vapours. Wear protective gloves/protective clothing/eye

protection/face protection.

6.2 **Environmental precautions** Do not allow to enter drains, sewers or watercourses.

6.3 Methods and material for containment and cleaning Use non-sparking equipment when picking up flammable spill. Adsorb spillages

> onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Dispose of this material and its container as hazardous waste.

6.4 Reference to other sections See Section: 8, 13

7. **SECTION 7: HANDLING AND STORAGE**

7.1 Precautions for safe handling Ensure adequate ventilation. Do not breathe vapour. In case of inadequate

> ventilation wear respiratory protection. Wear protective gloves/protective clothing/eye protection/face protection. Avoid contact with skin, eyes or clothing.

Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any

incompatibilities

up

Ground/bond container and receiving equipment. Store in a well-ventilated place. Keep container tightly closed. Keep away from heat, sources of ignition

and direct sunlight.

Storage temperature Ambient. 5 - 25°C

Storage life Stable under normal conditions.

Incompatible materials Keep away from: Flammable liquid, Oxidizing agents, Corrosive Substances,

Alcohols.

7.3 Specific end use(s) See Section:1.2

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **Control parameters**

8.1.1 **Occupational Exposure Limits**

SUBSTANCE	CAS No.	LTEL (8 hr	LTEL (8 hr	STEL	STEL	Note
		TWA ppm)	TWA mg/m³)	(ppm)	(mg/m³)	
Propan-2-ol	67-63-0	400	999	500	1250	WEL

Note WEL: Workplace Exposure Limit (UK HSE EH40).

8.1.2 Biological limit value Not established.

Document No. 14197 Page: 3 of 7 Revision L

Revision: 1.1 Date: 09.05.2016



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypq.com

8.1.3 PNECs and DNELs

DNEL (Propan-2-ol)	Oral	Inhalation	Dermal
Industry - Long Term - Systemic effects	-	500 mg/m ³	888 mg/kg bw/day
Consumer - Long Term - Systemic effects	26 mg/kg bw/day	89 mg/m ³	319 mg/kg bw/day

PNEC	Propan-2-ol
Aquatic Compartment	PNEC aqua (freshwater / marine water / intermittent releases)
	140.9 mg/L
	PNEC STP 2251 mg/L
	PNEC sediment (freshwater/marine water) 552 mg/kg sediment dw
	PNEC oral 160 mg/kg food
Terrestrial Compartment	PNEC soil 28 mg/kg soil dw

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure adequate ventilation. Atmospheric levels should be controlled in compliance with the occupational exposure limit.

8.2.2 Individual protection measures, such as personal protective equipment (PPE)

Use personal protective equipment as required. Wash contaminated clothing before reuse. Avoid contact with skin and eyes.

Eye/face protection

Wear protective eye glasses for protection against liquid splashes. Wear eye protection with side protection (EN166).



Skin protection



Wear impervious gloves (EN374). Nitrile rubber, Butyl rubber. Breakthrough time of the glove material: refer to the information provided by the gloves' producer. Unsuitable gloves materials: Natural rubber / PVC.

Respiratory protection



Normally no personal respiratory protection is necessary. In case of inadequate ventilation wear respiratory protection. A suitable mask with filter type A (EN141 or EN405) may be appropriate.

Thermal hazards Not applicable.

8.2.3 Environmental Exposure Controls Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Physico-chemical properties of substance Propan-2-ol.

Appearance Blue Coloured liquid.

Odour Alcohol-like Odour Odour Threshold Not available. pH Not established.

Melting Point/Freezing Point
-88.5°C
Initial boiling point and boiling range
Flash point
11.7 °C °C
Evaporation Rate
2.83 (BuAc = 1)

Flammability (solid, gas) Flam. Liq. 2; Flammable liquid and vapour.

Upper/lower flammability or explosive limits

Vapour pressure

Vapour density

Not available.

6.02 kPa at 25°C

2.1 (Air = 1)

Revision: 1.1 Date: 09.05.2016



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

www.vishaypq.com

1272/2008 (CLP) & 453/2010

Relative density 0.78 (H2O = 1)98% (Water) Solubility(ies) Partition coefficient: n-octanol/water 0.05 log Pow (25 °C)

399 °C Auto-ignition temperature

Decomposition Temperature Not available. 2.038 mPa s (dynamic) 25 °C Viscosity

Explosive properties Not available. Oxidising properties Not oxidising.

9.2 Other information None.

10. **SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity Stable under normal conditions. 10.2 **Chemical stability** Stable under normal conditions.

Possibility of hazardous reactions 10.3 Highly flammable liquid and vapour. The vapour may be invisible, heavier than

air and spread along ground.

10.4 Conditions to avoid Keep away from heat, sources of ignition and direct sunlight.

10.5 Incompatible materials Flammable liquid, Oxidizing agents, Corrosive Substances, Alcohols, Strong

Acids and Alkalis.

May decompose in a fire giving off toxic fumes. Carbon monoxide, Carbon 10.6 Hazardous decomposition product(s)

dioxide.

11. **SECTION 11: TOXICOLOGICAL INFORMATION**

11.1 Information on toxicological effects

Acute toxicity

Ingestion May cause drowsiness and dizziness. Inhalation May cause drowsiness and dizziness.

Skin Contact Not classified. Eye Contact Eye Irrit. 2

skin corrosion/irritation Eye Irrit. 2; Moderate irritant to rabbit eyes.

Serious eye damage/irritation Not classified. Respiratory or skin sensitization Not classified.

Germ cell mutagenicity There is no evidence of mutagenic potential.

Carcinogenicity No evidence of carcinogenicity.

Reproductive toxicity Not classified. STOT - single exposure Not classified. STOT - repeated exposure Not classified. Aspiration hazard Not classified.

11.2 Other information None.

SECTION 12: ECOLOGICAL INFORMATION 12.

12.1 **Toxicity** Not classified as a Marine Pollutant.

12.2 Persistence and degradability Readily biodegradable.

12.3 **Bioaccumulative potential** The product has low potential for bioaccumulation.

12.4 Mobility in soil The product is predicted to have high mobility in soil. Water Soluble.

Results of PBT and VPVB assessment 12.5 Not classified as PBT or vPvB.

12.6 Other adverse effects None known.

13. **SECTION 13: DISPOSAL CONSIDERATIONS**

This material and its container must be disposed of as hazardous waste. 13.1 Waste treatment methods

(2001/118EC). Send after pre-treatment to a appropriate hazardous waste

incinerator facility according to legislation.

Revision: 1.1 Date: 09.05.2016



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

www.vishaypg.com

13.2 Additional Information

Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

		ADR/RID / IMDG / IATA
14.1	UN number	UN 1219
14.2	Proper Shipping Name	ISOPROPANOL (ISOPRPYL ALCOHOL)
14.3	Transport hazard class(es)	3
14.4	Packing group	II
14.5	Environmental hazards	Not classified as a Marine Pollutant.
14.6	Special precautions for user	Causes serious eye irritation.
14.7	Transport in bulk according to Annex II of	Not applicable.
	MARPOL73/78 and the IBC Code	
14.8	Additional Information	None.

15. SECTION 15: REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	Propan-2-ol - Seveso Substances Category 7b
15.1.1	EU regulations	
	Authorisations and/or Restrictions On Use	None.
15.1.2	National regulations	None known.
15.2	Chemical Safety Assessment	Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS) and Existing ECHA registration(s) for Propan-2-ol (CAS# 1330-20-7).

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Flam. Liq. 2; H226	Harmonised Classification
Eye Irrit. 2; H319	Harmonised Classification
STOT SE 3; H336	Harmonised Classification

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level

PNEC Predicted No Effect Concentration

PBT PBT: Persistent, Bioaccumulative and Toxic PvB PBT: very Persistent and very Toxic

OECD Organisation for Economic Cooperation and Development

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is

Revision: 1.1 Date: 09.05.2016



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.