Revision: 1.1 Date: 24.08.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name PC-6
Chemical Name Mixture
CAS No. Mixture
EINECS No. Mixture
REACH Registration No. None assigned.

1.2 Relevant identified uses of the substance or mixture

and uses advised against

Identified Use(s) Photostress® measurements.

Uses Advised Against None known.

1.3 Details of the supplier of the safety data sheet

Company Identification VISHAY MEASUREMENTS GROUP UK LTD

Stroudley Road Basingstoke Hampshire RG24 8FW United Kingdom +44 (0) 1256 462

 Telephone
 +44 (0) 1256 462131

 Fax
 +44 (0) 1256 471441

 E-Mail (competent person)
 mm.uk@vishaypg.com

1.4 Emergency telephone number (00-1) 703-527-3887

CHEMTREC

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP) Skin Irrit. 2; H315

Skin Sens. 1; H317 Eye Irrit. 2; H319 Aquatic Chronic 2; H411

2.2 Label elements Regulation (EC) No. 1272/2008 (CLP)

Product Name PC-6

Hazard Pictogram(s)





Signal Word(s) Warning

Contains: Reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average

molecular weight \leq 700) and P-Tert-butylphenyl 1-(2,3-epoxy)propyl ether

Hazard Statement(s) H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects.

Precautionary Statement(s) P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Revision: 1.1 Date: 24.08.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention.

P273: Avoid release to the environment.

Additional Information None.

2.3 Other hazards None.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Not applicable

3.2 Mixtures

Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard Statement(s)
Reaction product: bisphenol-A- (epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)	< 100	25068-38-6	500-033-5	None assigned.	Skin Irrit. 2; H315 (SCL: ≥ 5%) Skin Sens. 1; H317 Eye Irrit. 2; H319 (SCL: ≥ 5%) Aquatic Chronic 2; H411
Aluminium powder (stabilised)	15 - 20	7429-90-5	231-072-3	None assigned.	Flam. Sol. 1; H228 Water-react. 2; H261
P-Tert-butylphenyl 1-(2,3-epoxy)propyl ether	0.5 - 9	3101-60-8	221-453-2	None assigned.	Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 2; H411
Stearic acid	< 1	57-11-4	200-313-4	None assigned.	Not classified
Silicon	< 0.5	7440-21-3	231-130-8	None assigned.	Not classified
Iron	< 0.5	7439-89-6	231-096-4	None assigned.	Not classified

H228: Flammable solid. H261: In contact with water releases flammable gases. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H411: Toxic to aquatic life with long lasting effects. SCL: Specific Concentration Limit.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or

waistband

Skin Contact

IF ON SKIN: Remove contaminated clothing and wash all affected areas with plenty of water. Contaminated clothing should be thoroughly cleaned. If skin

irritation or rash occurs: Get medical advice/attention.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if eye

irritation develops or persists.

Ingestion

Rinse mouth. Do not induce vomiting. Do not give anything by mouth to an unconscious person. If symptoms develop, obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

DOCUMENT NO. 14222 Page: 2 of 7 REVISION J

Revision: 1.1 Date: 24.08.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypq.com

5. **SECTION 5: FIREFIGHTING MEASURES**

5.1 Extinguishing media

5.2

Suitable Extinguishing media As appropriate for surrounding fire. Extinguish with dry sand or special powder

for metal fire.

Unsuitable extinguishing media Special hazards arising from the substance or mixture

Do not use water jet. Direct water jet may spread the fire.

May decompose in a fire giving off toxic fumes. Carbon monoxide, carbon dioxide, Aluminium oxides and phenolics. Sealed containers may rupture

explosively if hot. Dense smoke is emitted when burned without sufficient

oxygen.

5.3 Advice for fire-fighters Fire fighters should wear complete protective clothing including self-contained

breathing apparatus. Do not breathe fumes. Keep containers cool by spraying

with water if exposed to fire. Avoid run off to waterways and sewers.

6. **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and Ensure adequate ventilation. Stop leak if safe to do so. Eliminate all ignition sources if safe to do so. Use personal protective equipment as required. See emergency procedures

Section: 8. Avoid breathing vapours.

6.2 **Environmental precautions** Avoid release to the environment. Do not allow to enter drains, sewers or

watercourses.

6.3 Methods and material for containment and cleaning Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to

up

a container for disposal. Ventilate the area and wash spill site after material pickup is complete. Dispose of this material and its container as hazardous waste

(2008/98/EEC).

6.4 Reference to other sections See Section: 8, 13

7. **SECTION 7: HANDLING AND STORAGE**

7.1 Precautions for safe handling Avoid contact with skin, eyes or clothing. Avoid breathing vapours. Ensure

Ambient.

adequate ventilation. Use personal protective equipment as required. See Section: 8. Do not eat, drink or smoke when using this product. Wash hands

heat, sources of ignition and direct sunlight. Protect from moisture.

before breaks and after work.

7.2 Conditions for safe storage, including any Store in a well-ventilated place. Keep container tightly closed. Keep away from

incompatibilities

Storage temperature

Storage life

Stable under normal conditions.

Incompatible materials Keep away from: Acids, strong bases, Amines and mercaptans. The following

may occur: Hazardous Polymerization.

7.3 Specific end use(s) Photostress® measurements.

8. **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

8.1 Control parameters

8.1.1 **Occupational Exposure Limits**

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Aluminium	7429-90-5	-	10 (1) 4 (2)	-	-	WEL
Silicon	7440-21-3	-	10 (3) 4 (4)	-	-	WEL

Note: WEL: Workplace Exposure Limit (UK HSE EH40).

- 1) Inhalable dust
- Respirable dust 2)
- 3) Inhalable aerosol
- Respirable aerosol

Revision: 1.1 Date: 24.08.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

PNECs and DNELs

www.vishaypq.com

8.1.2 **Biological limit value** Not established. Not established.

8.2 **Exposure controls**

8.1.3

8.2.1 Appropriate engineering controls Ensure adequate ventilation or use appropriate containment. Atmospheric levels should be controlled in compliance with the occupational exposure limit. Have available eyewash bottle with clean water.

8.2.2 Individual protection measures, such as personal protective equipment (PPE)

General hygiene measures for the handling of chemicals are applicable. Avoid contact with skin, eyes or clothing. Avoid breathing vapours. Wash hands before breaks and after work. Keep work clothes separately. Contaminated clothing should be thoroughly cleaned. Contaminated leather articles should be discarded (e.g. shoes). Do not eat, drink or smoke at the work place.

Eve/ face protection



Wear protective eye glasses for protection against liquid splashes. Wear eye

protection with side protection (EN166).

Skin protection



Hand protection: Wear impervious gloves (EN374). Gloves should be changed regularly to avoid permeation problems. The gloves type used must be chosen based on the work activity and duration as well as concentration/quantity of material being handled. Recommended: Neoprene.

Body protection: Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection



9.1

In case of inadequate ventilation wear respiratory protection. Open system(s):

Wear suitable respiratory protective equipment.

Thermal hazards Not applicable.

Environmental Exposure Controls Avoid release to the environment. 8.2.3

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Aluminium Coloured liquid

Odour Faint Odour Odour threshold Not available. Not established.

Melting point/freezing point -16 °C (CAS# 25068-38-6)

Initial boiling point and boiling range ~320°C (CAS# 25068-38-6) Flash point 199°C [Closed cup] Evaporation rate Not available.

Flammability (solid, gas) Not applicable - Liquid.

Upper/lower flammability or explosive limits Not applicable. Vapour pressure Not available. Vapour density Not available.

Relative density 1.16 (H2O = 1) (Mixture)Solubility(ies) Insoluble in water.

Partition coefficient: n-octanol/water ≥ 2.64 ≤ 3.78 log Pow (25 °C) (CAS# 25068-38-6)

Not applicable. Auto-ignition temperature

Decomposition Temperature >350°C (CAS# 25068-38-6)

Viscosity Not available. Explosive properties Not explosive. Oxidising properties Not oxidising.

Revision: 1.1 Date: 24.08.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypq.com

9.2 Other information Volatile Organic Compound Content (%): 0

10. **SECTION 10: STABILITY AND REACTIVITY** 10.1 Reactivity Stable under normal conditions. 10.2 Chemical stability Stable under normal conditions. 10.3 Possibility of hazardous reactions Keep away from: Acids, strong bases, Amines and mercaptans. The following may occur: Hazardous Polymerization. Contact with aliphatic amines will cause irreversible polymerization with considerable heat build-up. 10.4 Conditions to avoid Keep away from heat, sources of ignition and direct sunlight. 10.5 Incompatible materials Keep away from: Acids, strong bases, Amines and mercaptans. 10.6

11. SECTION 11: TOXICOLOGICAL INFORMATION

Hazardous decomposition product(s)

11.1 Information on toxicological effects (Substances in preparations / mixtures)

Acute toxicity

Ingestion Based upon the available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg

May decompose in a fire giving off toxic fumes. Carbon monoxide, carbon

dioxide, Aluminium oxides and phenolics.

Inhalation Based upon the available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 20.0 mg/l.

Skin Contact Based upon the available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg

bw/day.

Skin corrosion/irritation Skin Irrit. 2: Causes skin irritation. Serious eye damage/irritation Eye Irrit. 2: Causes serious eye irritation.

Respiratory or skin sensitization Skin Sens. 1: May cause an allergic skin reaction.

Germ cell mutagenicity Based upon the available data, the classification criteria are not met. Carcinogenicity Based upon the available data, the classification criteria are not met. Reproductive toxicity Based upon the available data, the classification criteria are not met. STOT - single exposure Based upon the available data, the classification criteria are not met. STOT - repeated exposure Based upon the available data, the classification criteria are not met. Aspiration hazard Based upon the available data, the classification criteria are not met.

11.2 Other information None.

SECTION 12: ECOLOGICAL INFORMATION 12.

12.1	Toxicity	Aquatic Chronic 2: Toxic to aquatic life with long lasting effects.

Estimated Mixture LC50 > $1 \le 10 \text{ mg/l}$ (Fish)

12.2 Persistence and degradability Part of the components are poorly biodegradable. 12.3 **Bioaccumulative potential** The product has low potential for bioaccumulation.

12.4 Mobility in soil The product is predicted to have low mobility in soil. (Insoluble in water.)

12.5 Results of PBT and vPvB assessment Not classified as PBT or vPvB.

12.6 Other adverse effects None known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	Dispose of this material and its container as hazardous waste (2008/98/EEC).
------	-------------------------	--

Containers of this material may be hazardous when empty since they retain

product residue.

13.2 **Additional Information** Dispose of contents in accordance with local, state or national legislation.

Revision: 1.1 Date: 24.08.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

UN number

14.1

www.vishaypg.com

14. SECTION 14: TRANSPORT INFORMATION

ADR/RID / IMDG / IATA

14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S

UN 3082

(CONTAINS Reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) and P-Tert-butylphenyl 1-(2,3-

epoxy)propyl ether)

14.3 Transport hazard class(es) 9
14.4 Packing group ||||

14.5 Environmental hazards Classified as a Marine Pollutant/ Environmentally hazardous substance

14.6 Special precautions for user See Section: 2
 14.7 Transport in bulk according to Annex II of MARPOL Not applicable.

73/78 and the IBC Code

14.8 Additional Information None.

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental

regulations/legislation specific for the substance or

mixture

15.1.1 EU regulations

Authorisations and/or Restrictions On Use None Substance(s) of Very High Concern (SVHCs)

15.1.2 National regulations

Wassergefährdungsklasse (Germany) Water hazard class: 2

15.2 Chemical Safety Assessment Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS), Harmonised Classification(s) for Reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) (CAS# 25068-38-6) and Aluminium (CAS# 7429-90-5). Existing ECHA registration(s) for Reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) (CAS# 25068-38-6), P-P-Tert-butylphenyl 1-(2,3-epoxy)propyl ether (CAS# 3101-60-8), Aluminium (CAS# 7429-90-5), Stearic acid (CAS# 57-11-4), Silicon (CAS# 7440-21-3) and Iron (CAS# 7439-89-6).

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Skin Irrit. 2; H315	Threshold Calculation
Skin Sens. 1; H317	Threshold Calculation
Eye Irrit. 2; H19	Threshold Calculation
Aquatic Chronic 2; H411	Summation Calculation

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration

PBT PBT: Persistent, Bioaccumulative and Toxic vPvB very Persistent and very Bioaccumulative

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Revision: 1.1 Date: 24.08.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.