Revision: 2.0 Date: 28.07.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name PCH-10 PCH-10C

Chemical Name Mixture
CAS No. Mixture
EINECS No. Mixture
REACH Registration No. None assigned.

1.2 Relevant identified uses of the substance or mixture

and uses advised against

Identified Use(s) Photostress® measurements.

Uses Advised Against None known.

1.3 Details of the supplier of the safety data sheet

Company Identification VISHAY MEASUREMENTS GROUP UK LTD

Stroudley Road Basingstoke Hampshire RG24 8FW United Kingdom

Telephone +44 (0) 1256 462131 Fax +44 (0) 1256 471441 E-Mail (competent person) mm.uk@vishaypg.com

1.4 Emergency telephone number (00-1) 703-527-3887

CHEMTREC

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP) Acute Tox. 4; H302

Acute Tox. 4; H312 Skin Corr. 1B; H314 Skin Sens. 1; H317 Acute Tox. 2; H330 STOT SE 3; H335 Aquatic Chronic 3; H412

2.2 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

Product Name PCH-10 PCH-10C

Hazard Pictogram(s)





Signal Word(s) Danger

Contains: 2,2'-Iminodi(ethylamine) and 2,4,6-Tris(dimethylaminomethyl)phenol

Hazard Statement(s) H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage. H317: May cause an allergic skin reaction.

H330: Fatal if inhaled.

H335: May cause respiratory irritation.

H412: Harmful to aquatic life with long lasting effects.

Revision: 2.0 Date: 28.07.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypq.com

Precautionary Statement(s) P280: Wear protective gloves/protective clothing/eye protection/face protection.

P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician.

Additional Information None

Other hazards 2.3 None

3. **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

3.2 Mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard Statement(s)
2,2'-Iminodi(ethylamine)	60 - 70	111-40-0	203-865-4	None assigned	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Corr. 1B; H314 Skin Sens. 1; H317 Acute Tox. 2; H330 STOT SE 3; H335
Tris-2,4,6-(Dimethylaminomethyl) Phenol	30 – 40	90-72-2	202-013-9	None assigned	Acute Tox. 4; H302 Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 Aquatic Chronic 3; H412

H302: Harmful if swallowed. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H330: Fatal if inhaled. H335: May cause respiratory irritation. H412: Harmful to aquatic life with long lasting effects.

4. **SECTION 4: FIRST AID MEASURES**



4.1 Description of first aid measures

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is laboured, oxygen should be administered by qualified personnel. Immediately call a POISON

CENTER/doctor.

Skin Contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower. Contaminated clothing should be thoroughly cleaned.

Immediately call a POISON CENTER/doctor.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Treatment by an ophthalmologist due to possible caustic burn

of the eyes may be required.

Ingestion IF SWALLOWED: Rinse mouth. Make victim drink plenty of water. Do not induce vomiting unless instructed to do so by medical personnel. Immediately call a

POISON CENTER/doctor.

Revision: 2.0 Date: 28.07.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypq.com

4.2 Most important symptoms and effects, both acute and Harmful if swallowed. Harmful in contact with skin. Fatal if inhaled. Causes

severe skin burns and eye damage. May cause an allergic skin reaction. May cause respiratory irritation. Due to irritant properties, swallowing may result in burns/ulceration of mouth, stomach and lower gastrointestinal tract with subsequent stricture. Aspiration of vomitus may cause lung injury.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. There is no specific antidote.

IF SWALLOWED: Immediately call a POISON CENTER/doctor. Suggest endotracheal/esophageal control if lavage is done.

IF INHALED: Immediately call a POISON CENTER/doctor.

IF IN EYES: Obtain prompt consultation, preferably from an ophthalmologist.

Chemical eye burns may require extended irrigation.

Respiratory symptoms, including pulmonary edema, may be delayed. Persons receiving significant exposure should be observed 24-48 hours for signs of respiratory distress.

5. **SECTION 5: FIREFIGHTING MEASURES**

5.1 **Extinguishing media**

> Suitable Extinguishing media As appropriate for surrounding fire. Extinguish with carbon dioxide, dry chemical,

> > foam or waterspray. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may

function, but will be less effective.

Unsuitable extinguishing media

Do not use water jet. Direct water jet may spread the fire.

5.2 Special hazards arising from the substance or mixture

May decompose in a fire giving off toxic fumes. Decomposes in a fire giving off toxic fumes: Nitrogen oxides, Ammonia, Aldehydes, Carbon monoxide and

Carbon dioxide.

5.3 Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

6. **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Keep upwind. Avoid breathing vapours. Avoid all contact. Stop leak if safe to do so. Wear suitable respiratory equipment. Use personal protective equipment as required. See Section: 8.

6.2 **Environmental precautions** Avoid release to the environment. Do not allow to enter drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be alerted to the Environment Agency or other appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Ensure full personal protection (including respiratory protection) during removal of spillages. Contain spillages. Absorb spillage in earth or sand. Do NOT use absorbent materials such as: Cellulose, Sawdust or Ground corn cobs. Transfer to a container for disposal. Use waterspray to 'knock down' vapour. Ventilate the area and wash spill site after material pick-up is complete. Dispose of this material and its container as hazardous waste (2008/98/EEC).

See Section: 8, 13

7. **SECTION 7: HANDLING AND STORAGE**

7.1 Precautions for safe handling

Reference to other sections

6.4

Avoid all contact. Do not breathe vapour. Ensure adequate ventilation. Use personal protective equipment as required. See Section: 8. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Take precautionary measures against static discharge. Protect from moisture. Do not apply pressure to empty containers.

7.2 Conditions for safe storage, including any

incompatibilities

Store under inert gas (e.g nitrogen) to prevent ingress of moisture or air into the container. If a container is part emptied flush thoroughly with inert gas prior to resealing. Store in a well-ventilated place. Keep container tightly closed. Keep away from heat, sources of ignition and direct sunlight.

Storage temperature Ambient. Keep at temperature not exceeding (°C): 27

Revision: 2.0 Date: 28.07.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypq.com

Storage life

Incompatible materials

Protect from moisture. Bulk storage should be under nitrogen blanket. Keep away from: Nitrosating agents, Strong oxidising agents, strong bases, Acids, Aldehydes, Aluminium, Zinc, Copper (Brass and Bronze), Peroxides and halogenated compounds.

Do not use sodium nitrite or other nitrosating agents in formulations containing this product. Suspected cancer-causing nitrosamines could be formed. Reaction with some curing agents may produce considerable heat.

Photostress® measurements.

7.3 Specific end use(s)

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **Control parameters**

8.1.1 **Occupational Exposure Limits**

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
2,2'-Iminodi(ethylamine)	111-40-0	1	4.3	=	<u>=</u>	WEL

Note: WEL: Workplace Exposure Limit (UK HSE EH40)

8.1.2 Biological limit value Not established.

PNECs and DNELs 8.1.3 Not established.

Exposure controls 8.2

8.2.1 Appropriate engineering controls Ensure adequate ventilation or use appropriate containment. Atmospheric levels should be controlled in compliance with the occupational exposure limit. Guarantee that the eye flushing systems and safety showers are located close to the working place.

8.2.2 Individual protection measures, such as personal protective equipment (PPE)

General hygiene measures for the handling of chemicals are applicable. Avoid all contact. Do not breathe vapour. Wash hands before breaks and after work. Keep work clothes separately. Contaminated leather articles should be discarded (e.g. shoes). Do not eat, drink or smoke at the work place.

Eye/ face protection

Wear protective eye glasses for protection against liquid splashes. Wear eye protection with side protection (EN166).



Skin protection



Hand protection: Wear impervious gloves (EN374). Gloves should be changed regularly to avoid permeation problems. Breakthrough time of the glove material: refer to the information provided by the gloves' producer. Recommended: Butyl rubber or Neoprene.

Body protection: Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection



In case of inadequate ventilation wear respiratory protection. Open system(s): Wear suitable respiratory protective equipment. Recommended: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard.

Not applicable. Thermal hazards

8.2.3 **Environmental Exposure Controls** Avoid release to the environment.

9. **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1 Information on basic physical and chemical properties

DOCUMENT NO. 14226 Page: 4 of 7 **REVISION I**

Revision: 2.0 Date: 28.07.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com

Appearance Almost colourless to pale yellow liquid

Odour Amine-like Odour
Odour threshold Not available.
pH Not established.
Melting point/freezing point Not established.
Initial boiling point and boiling range 199°C

Flash point and boiling range 199°C

Flash point 103°C

Evaporation rate <1 (BuAc = 1)

Flammability (solid, gas)

Not applicable - Liquid.

Upper/lower flammability or explosive limits Not available. Vapour pressure <1 (mmHg) Vapour density >1 (Air = 1) Relative density 0.95 (H2O = 1)Solubility(ies) Soluble in water. Partition coefficient: n-octanol/water Not available. Auto-ignition temperature Not available. **Decomposition Temperature** Not available. Viscosity Not available. Explosive properties Not explosive. Oxidising properties Not oxidising.

9.2 Other information None

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Stability and reactivity Stable under normal conditions.

10.2 Chemical stability Stable under normal conditions. May decompose if heated.

10.3 Possibility of hazardous reactions Do not use sodium nitrite or other nitrosating agents in formulations containing

this product. Suspected cancer-causing nitrosamines could be formed.

Avoid contact with oxidising substances. May cause fire. Reaction with some

curing agents may produce considerable heat.

10.4 Conditions to avoid Keep away from heat and sources of ignition. Take precautionary measures

against static discharge. Protect from moisture.

10.5 Incompatible materials Keep away from: Nitrosating agents, Strong oxidising agents, strong bases,

Acids, Aldehydes, Aluminium, Zinc, Copper (Brass and Bronze), Peroxides and

halogenated compounds.

10.6 Hazardous decomposition product(s)

Thermal breakdown of this product during fire or very high heat conditions may

evolve the following decomposition products: Nitrogen oxides, Aldehydes, Carbon monoxide and Carbon dioxide, Ammonia and volatile Amines.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects (Substances in preparations / mixtures)

Acute toxicity

Ingestion Acute Tox. 4: Harmful if swallowed.

Inhalation Acute Tox. 2: Fatal if inhaled.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 0.7 mg/l.

Skin Contact Acute Tox. 4: Harmful in contact with skin.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 1649 mg/kg

bw/day.

Skin corrosion/irritationSkin Corr. 1B: Causes severe skin burns.Serious eye damage/irritationSkin Corr. 1B: Causes serious eye damage.Respiratory or skin sensitizationSkin Sens. 1: May cause an allergic skin reaction.

Germ cell mutagenicity

Based upon the available data, the classification criteria are not met.

Based upon the available data, the classification criteria are not met.

Based upon the available data, the classification criteria are not met.

Based upon the available data, the classification criteria are not met.

STOT - single exposure STOT SE 3: May cause respiratory irritation.

Revision: 2.0 Date: 28.07.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com

STOT - repeated exposure

Aspiration hazard

Based upon the available data, the classification criteria are not met.

Based upon the available data, the classification criteria are not met.

11.2 Other information None

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Aquatic Chronic 3: Harmful to aquatic life with long lasting effects.

Estimated Mixture LC50 > 10 < 100 (Algae)

12.2 Persistence and degradability Readily biodegradable.

12.3 Bioaccumulative potential The product has low potential for bioaccumulation.

12.4 Mobility in soil The product is predicted to have high mobility in soil. (Water Soluble)

12.5 Results of PBT and vPvB assessment Not classified as PBT or vPvB.

12.6 Other adverse effects None known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not apply pressure to empty containers. Containers of this material may be

hazardous when empty since they retain product residue. This material and its container must be disposed of as hazardous waste (2008/98/EEC). Send after pre-treatment to a appropriate hazardous waste incinerator facility according to

legislation.

13.2 Additional Information Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

ADR/RID / II	MDG / IATA
--------------	------------

14.1 UN number UN 2927

14.2 UN proper shipping name TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (CONTAINS 2,2'-

IMINODI(ETHYLAMINE)

14.3 Transport hazard class(es) 6.1 + 8

14.4 Packing group

14.5 Environmental hazards Not classified as a Marine Pollutant/Environmentally hazardous substance.

14.6 Special precautions for user See Section: 2
 14.7 Transport in bulk according to Annex II of MARPOL Not applicable

7 Transport in bank according to Aimex it of MA

73/78 and the IBC Code

Additional Information None

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental

regulations/legislation specific for the substance or

mixture

15.1.1 EU regulations

14.8

Substance(s) of Very High Concern (SVHCs)

Authorisations and/or Restrictions On Use

None

15.1.2 National regulations

Wassergefährdungsklasse (Germany)

Water hazard class: 2

15.2 Chemical Safety Assessment

Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS), Existing ECHA registration(s) for 2,2'-iminodi(ethylamine) (CAS# 111-40-0) and 2,4,6-Tris(dimethylaminomethyl)phenol (CAS# 90-72-2), and Harmonised Classification(s) for 2,2'-iminodi(ethylamine) (CAS# 111-40-0) and 2,4,6-Tris(dimethylaminomethyl)phenol (CAS# 90-72-2).

Revision: 2.0 Date: 28.07.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Acute Tox. 4; H302	Acute Toxicity Estimate Mixture Calculation
Acute Tox. 4; H312	Acute Toxicity Estimate Mixture Calculation
Skin Corr. 1B; H314	Threshold Calculation
Skin Sens. 1; H317	Threshold Calculation
Acute Tox. 2; H330	Acute Toxicity Estimate Mixture Calculation
STOT SE 3; H335	Threshold Calculation
Aquatic Chronic 3; H412	Summation Calculation

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration

PBT PBT: Persistent, Bioaccumulative and Toxic vPvB very Persistent and very Bioaccumulative

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.