Revision: 1.1 Date: 27.10.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

PLH-10/PLMH-1/PMCH-1

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name PLH-10/PLMH-1/PMCH-1
Chemical Name PLH-10/PLMH-1/PMCH-1
Triethylenetetramine

(TETA) 112-24-3 203-950-6

None assigned.

REACH Registration No.

Recommended use of the chemical and restrictions

on use

1.2

1.4

CAS No.

EINECS No.

Identified Use(s) Photostress® measurements.

Uses Advised Against None.

1.3 Supplier's details

Company Identification VISHAY MEASUREMENTS GROUP UK LTD

Stroudley Road Basingstoke Hampshire RG24 8FW United Kingdom

Telephone +44 (0) 1256 462131
Fax +44 (0) 1256 471441
E-Mail (competent person) mm.uk@vishaypg.com
Emergency Phone No. (00-1) 703-527-3887
CHEMTREC

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Hazard Pictogram(s)

2.1.1 Regulation (EC) No. 1272/2008 (CLP) Met. Corr. 1;May be corrosive to metals.

Acute Tox. 4; Harmful in contact with skin.

Acute Tox. 4; Harmful in contact with skin. Skin Corr. 1B; Causes severe skin burns and eye damage.

Skin Sens. 1; May cause an allergic skin reaction.

Okin Sens. 1, May cause an allergic skin reaction.

Aquatic Chronic 3; Harmful to aquatic life with long lasting effects.

2.1.2 Directive 67/548/EEC & Directive 1999/45/EC Xn; R21: Harmful in contact with skin.

C; R35: Causes severe burns.

R43: May cause sensitization by skin contact.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

2.2 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

Product Name PLH-8/PLMH-1/PMCH-1

T.S.



Signal Word(s)

Hazard Statement(s)

H290: May be corrosive to metals.

H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s) P234: Keep only in original container.

Danger

Revision: 1.1 Date: 27.10.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypq.com

P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician. None.

2.3 Other hazards

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	Hazard Statement(s)
Triethylenetetramine (TETA)	100	112-24-3	203-950-6	Acute Tox. 4; H312 Skin Corr. 1B; H314 Skin Sens. 1; H317 Aquatic Chronic 3; H412

Directive 67/548/EEC & Directive 1999/45/EC

Chemical identity of the substance	%W/W	CAS No.	EC No.	EC Classification and Risk Phrases
Triethylenetetramine (TETA)	100	112-24-3	203-950-6	Xn; R21: Harmful in contact with skin. R34: Causes burns. R43: May cause sensitization by skin contact. R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3.2 Mixtures Not applicable.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Call a POISON CENTER or doctor/physician if you

feel unwell.

Skin Contact IF ON SKIN: Wash with plenty of soap and water. Take off contaminated

clothing and wash before reuse. If irritation (redness, rash, blistering) develops,

get medical attention.

Eye Contact IF IN EYES: Flush eyes with water for at least 15 minutes while holding eyelids

open.Remove contact lenses if worn. Get medical attention if eye irritation develops or persists.Continue irrigation until medical attention can be obtained. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Never give anything by

attention immediately.

4.2 Most important symptoms and effects, both acute and

delayed

Ingestion

Causes damage to organs through prolonged or repeated exposure. Causes severe burns to skin, eyes, respiratory system and gastrointestinal tract. Fluid build up on the lung (pulmonary oedema) may occur up to 48 hours after

mouth to an unconscious person. Drink two glasses of water. Get medical

exposure and could prove fatal.

4.3 Indication of any immediate medical attention and special treatment needed

Chemical eye burns may require extended irrigation. Obtain prompt consultation, preferably from an ophthalmologist.

Revision: 1.1 Date: 27.10.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypq.com

5. **SECTION 5: FIRE-FIGHTING MEASURES**

5.1 Extinguishing media

> Suitable Extinguishing Media Extinguish with carbon dioxide, dry chemical, foam or waterspray.

Unsuitable extinguishing Media Do not use water jet.

5.2 Special hazards arising from the substance or mixture May decompose in a fire giving off toxic fumes. Carbon monoxide, Carbon

dioxide, Nitrogen oxides.

5.3 Advice for fire-fighters Fire fighters should wear complete protective clothing including self-contained

breathing apparatus. Do not breathe fumes. Keep containers cool by spraying

with water if exposed to fire. Avoid run off to waterways and sewers.

SECTION 6: ACCIDENTAL RELEASE MEASURES 6.

6.1 Personal precautions, protective equipment and Ensure adequate ventilation. Shut off leaks if without risk. Avoid contact with

emergency procedures skin, eyes or clothing. Avoid breathing vapours. Wear protective

gloves/protective clothing/eye protection/face protection.

6.2 **Environmental precautions** Do not allow to enter drains, sewers or watercourses.

6.3 Methods and material for containment and cleaning

up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Dispose of this material and its container as hazardous

waste.

6.4 Reference to other sections See Section: 8, 13

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Ensure adequate ventilation. Do not breathe mist/vapours/spray. In case of

inadequate ventilation wear respiratory protection. Wear protective

gloves/protective clothing/eye protection/face protection. Avoid contact with skin,

Store in a well-ventilated place. Keep container tightly closed. Keep away from

eyes or clothing. Do not eat, drink or smoke when using this product. Wash

hands before breaks and after work.

heat and direct sunlight.

7.2 Conditions for safe storage, including any

> incompatibilities Storage temperature

Ambient. Stable under normal conditions.

Storage life Incompatible materials

Keep only in original container. Keep/store away from: Oxidizing agents. Storage vessels should not be made of: Copper, Aluminium, or Brass.

7.3 Specific end use(s) Photostress® measurements.

8. **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

8.1 **Control parameters**

8.1.1 **Occupational Exposure Limits** Not established.

8.1.2 Biological limit value Not established.

PNECs and DNELs Not established. 8.1.3

8.2 **Exposure controls**

8.2.1 Appropriate engineering controls Ensure adequate ventilation.

8.2.2 Individual protection measures, such as personal Use personal protective equipment as required. Wash contaminated clothing protective equipment (PPE)

before reuse. Avoid contact with skin and eyes. Guarantee that the eye flushing systems and safety showers are located close to the working place.

Eye/face protection Wear goggles giving complete protection to eyes to protect against liquid

splashes (EN166).

Revision: 1.1 Date: 27.10.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com



Skin protection



Wear impervious gloves (EN374). Breakthrough time of the glove material: refer to the information provided by the gloves' producer. Wear chemical resistant apron. Wear suitable protective clothing. Unsuitable gloves materials

Respiratory protection



Wear suitable respiratory protective equipment if exposure to high levels of material are likely. When no local exhaust ventilation is available, use a properly fitted, air-purifying or air-fed respirator complying with an approved standard.

Thermal hazards Not applicable.

8.2.3 Environmental Exposure Controls Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Yellow Coloured liquid. Odour Amine-like Odour Odour Threshold Not available. pΗ Not established. Melting Point/Freezing Point Not established. Initial boiling point and boiling range 277°C (Mixture) Flash point 149°C (Setaflash) **Evaporation Rate** <1 (BuAc = 1)Flammability (solid, gas) Non-flammable Upper/lower flammability or explosive limits Not available.

Vapour pressure <1.3e-3 kPa at 20°C Vapour density 5 (Air = 1)Relative density 0.98 (H2O = 1)Solubility(ies) Soluble in water. Partition coefficient: n-octanol/water Not available. Auto-ignition temperature Not available. **Decomposition Temperature** Not available. Viscosity Not available. Explosive properties Not explosive. Oxidising properties Not oxidising.

9.2 Other information None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions May decompose in a fire giving off toxic fumes.

10.4 Conditions to avoid Keep away from heat and flame.
 10.5 Incompatible materials Keep away from: Oxidizing agents.

10.6 Hazardous decomposition product(s) Carbon monoxide, Carbon dioxide, Oxides of nitrogen.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects (Substances in preparations / mixtures)

Acute toxicity

Ingestion Will cause corrosion of and damage to the gastrointestinal tract.

Inhalation May cause respiratory irritation.

Revision: 1.1 Date: 27.10.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

Skin Contact Acute Tox. 4; (Dermal). May cause sensitization by skin contact.

Eye Contact Causes serious eye damage.

Irritation Not classified.

CorrosivitySkin Corr. 1B; Causes severe damage to eyes and skin.SensitisationSkin Sens. 1; May cause sensitization by skin contact.

Repeated dose toxicity Not classified.

Carcinogenicity No evidence of carcinogenicity.

Mutagenicity There is no evidence of mutagenic potential.

Toxicity for reproduction Not classified.

11.2 Other information None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Toxic to aquatic life with long lasting effects. (Aquatic Chronic 3). TETA is

resistant to biodegradation in biological wastewater treatment plants. It could be

toxic to the biomass in a treatment plant and could be toxic to fish.

12.2 Persistence and degradability The product is poorly biodegradable.

12.3 Bioaccumulative potential The product has low potential for bioaccumulation.

12.4 Mobility in soil The product is predicted to have high mobility in soil. Soluble in water.

12.5 Results of PBT and VPVB assessment Not classified as PBT or vPvB.

12.6 Other adverse effects None known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods This material and its container must be disposed of as hazardous waste.

(2001/118EC). Send after pre-treatment to a appropriate hazardous waste

incinerator facility according to legislation.

13.2 Additional Information Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

ADR/RID / IMDG / IATA

14.1 UN number UN 2259

14.2 Proper Shipping Name TRIETHYLENETHETRAMINE

14.3 Transport hazard class(es) 8
14.4 Packing group ||

14.5 Environmental hazards Not classified as a Marine Pollutant. / Environmentally hazardous substance

14.6 Special precautions for user Causes burns to skin and eyes.

14.7 Transport in bulk according to Annex II of Not applicable.

MARPOL73/78 and the IBC Code

Additional Information None.

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU regulations

14.8

Authorisations and/or Restrictions On Use None.

15.1.2 National regulations None known.

15.2 Chemical Safety Assessment Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS) and Harmonised Classification(s) for Triethylenetetramine (CAS# 112-24-3).

Revision: 1.1 Date: 27.10.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypq.com

Classification of the substance or mixture According to	Classification Procedure	
Regulation (EC) No. 1272/2008 (CLP)		
Met. Corr. 1; H290	T.D.G. Classification	
Acute Tox. 4; H312	Harmonised Classification	
Skin Corr. 1B; H314	Harmonised Classification	
Skin Sens. 1; H317	Harmonised Classification	
Aquatic Chronic 3; H412	Summation Calculation	

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration

PBT PBT: Persistent, Bioaccumulative and Toxic PvB PBT: vPvT: very Persistent and very Toxic

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.