Revision: 1.2 Date: 28.08.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name PLMH-4R
Chemical Name Mixture
CAS No. Mixture
EINECS No. Mixture
REACH Registration No. None assigned.

1.2 Relevant identified uses of the substance or mixture

and uses advised against

Identified use(s) Photostress® measurements.

Uses advised against None known.

1.3 Details of the supplier of the safety data sheet

Company Identification VISHAY MEASUREMENTS GROUP UK LTD

Stroudley Road Basingstoke Hampshire United Kingdom RG24 8FW

 Telephone
 +44 (0) 1256 462131

 Fax
 +44 (0) 1256 471441

 E-Mail (competent person)
 mm.uk@vishaypg.com

1.4 Emergency telephone number (00-1) 703-527-3887

CHEMTREC

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP).

Acute Tox. 4; H302
Skin Irrit. 2; H315
Skin Sens. 1; H317
Eye Dam. 1; H318
STOT RE 2; H373

Aquatic Chronic 2; H411

2.2 Label elements According to Regulation (EC) No. 1272/2008 (CLP).

Product Name PLMH-4R

Hazard pictogram(s)

2.1.1









Signal word(s)

gridi mora(o)

Contains: 2,2'-Iminodiethanol and Reaction product: Bisphenol-A-(epichlorhydrin) epoxy

resin (number average molecular weight \leq 700)

Hazard statement(s) H302: Harmful if swallowed.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H318: Causes serious eye damage.

H373: May cause damage to organs through prolonged or repeated exposure.

H411: Toxic to aquatic life with long lasting effects.

Revision: 1.2 Date: 28.08.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

www.vishaypg.com

Precautionary statement(s) P260: Do not breathe vapour.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

2.3 Other hazards None known.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Not applicable

3.2 Mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP).

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard statement(s)
2,2'-Iminodiethanol	70 – 100	111-42-2	203-868-0	None assigned.	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT RE 2; H373 Aquatic Chronic 3; H412
Reaction product: Bisphenol-A- (epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)	10 - 30	25068-38-6	500-033-5	None assigned.	Eye Irrit. 2; H319 (SCL: ≥ 5%) Skin Sens. 1; H317 Skin Irrit. 2; H315 (SCL: ≥ 5% Aquatic Chronic 2; H411

H302: Harmful if swallowed. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H319: Causes serious eye irritation. H373: May cause damage to organs through prolonged or repeated exposure. H411: Toxic to aquatic life with long lasting effects. SCL: Specific Concentration Limit.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Skin Contact

Eye Contact

Ingestion

Self-protection of the first aider

Do not breathe vapour. Wear suitable protective clothing. Wear suitable

respiratory protective equipment if exposure to high levels of material are likely.

Do not use mouth-to-mouth resuscitation.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Apply artificial respiration if breathing has ceased or shows signs of failing. Get medical advice/attention if you feel unwell. IF ON SKIN: Wash with plenty of water. Remove contaminated clothing and

wash clothing before reuse. If skin irritation or rash occurs: Get medical

advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/doctor. Obtain prompt consultation, preferably from an

ophthalmologist.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse

mouth. Make victim drink water. Do not give anything by mouth to an

unconscious person.

4.2 Most important symptoms and effects, both acute and delayed Causes serious eye damage. Causes skin irritation. May cause an allergic skin reaction. Harmful if swallowed. May cause damage to organs through prolonged

Revision: 1.2 Date: 28.08.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypq.com

4.3 Indication of any immediate medical attention and

special treatment needed

Treat symptomatically.

IF IN EYES: Obtain prompt consultation, preferably from an ophthalmologist. IF INHALED: Immediately administer a corticosteroid from a controlled/metered

SECTION 5: FIRE-FIGHTING MEASURES 5.

5.1 **Extinguishing media**

> Suitable Extinguishing Media As appropriate for surrounding fire. Extinguish with carbon dioxide, dry chemical,

or repeated exposure by ingestion.

foam or waterspray.

Unsuitable Extinguishing Media

Special hazards arising from the substance or

5.2

5.3

6.4

Combustion or thermal decomposition will evolve toxic and irritant vapours. mixture Phenolics, Hydrogen chloride, Carbon monoxide, Carbon dioxide and Nitrogen

oxides. Sealed containers may rupture explosively if hot.

Do not use water jet. Direct water jet may spread the fire.

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying

with water if exposed to fire. Avoid run off to waterways and sewers.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and

emergency procedures

Advice for fire-fighters

6.2 **Environmental precautions**

6.3 Methods and material for containment and cleaning

Reference to other sections

Do not breathe vapour. Ensure adequate ventilation. Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. See Section: 8. Avoid release to the environment. Do not allow to enter drains, sewers or

watercourses. Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

Ensure full personal protection (including respiratory protection) during removal of spillages. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Ventilate the area and wash spill site after material pick-up is complete. Dispose of this material and its container

See Section: 8, 13

as hazardous waste (2008/98/EEC).

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Obtain special instructions before use. Do not handle until all safety precautions

Ambient.

have been read and understood. Avoid contact with skin, eyes or clothing. Do not breathe vapour. Ensure adequate ventilation. Use personal protective equipment as required. See Section: 8. Do not eat, drink or smoke when using

this product. Wash hands before breaks and after work.

Conditions for safe storage, including any 7.2 Store in a well-ventilated place. Keep container tightly closed. Keep away from

incompatibilities

Storage Temperature

Storage Life

Incompatible materials

Stable under normal conditions.

heat, sources of ignition and direct sunlight.

Keep away from: Acids, Alkalis, Amines, Oxidizing agents, nitrosating agents,

halogenated compounds, Aldehydes and Isocyanates.

7.3 Specific end use(s) Photostress® measurements.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational exposure limits

SUBSTANCE	CAS No.	LTEL (8 hr LTEL (8 hr TWA ppm) TWA mg/m³)		STEL (ppm)	STEL (mg/m³)	Note
2,2'-Iminodiethanol	111-42-2	3	13	-	-	WEL

Revision: 1.2 Date: 28.08.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com

Note: WEL: Workplace Exposure Limit (UK HSE EH40).

Remarks: The UK Advisory Committee on Toxic Substances has expressed concern that, for the OELs shown in parentheses, health may not be adequately protected because of doubts that the limit was not soundly-based. These OELs were included in the published UK 2002 list and its 2003 supplement, but are omitted from the published 2005 list.

8.1.2 Biological limit value Not established.8.1.3 PNECs and DNELs Not established.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure adequate ventilation or use appropriate containment. Atmospheric levels should be controlled in compliance with the occupational exposure limit. When dealing with heated material: Local exhaust required. Guarantee that the eye flushing systems and safety showers are located close to the working place.

8.2.2 Individual protection measures, such as personal protective equipment (PPE)

General hygiene measures for the handling of chemicals are applicable. Avoid contact with skin, eyes or clothing. Do not breathe vapour. Wash hands before breaks and after work. Keep work clothes separately. Contaminated clothing should be thoroughly cleaned. Contaminated leather articles should be discarded (e.g. shoes). Do not eat, drink or smoke at the work place.

Eye/face protection



Wear goggles giving complete protection to eyes to protect against liquid splashes (EN166). Recommended: Safety spectacles/goggles/full face shield.

Skin protection



Hand protection: Wear impervious gloves (EN374). Gloves should be changed regularly to avoid permeation problems. Breakthrough time of the glove material: refer to the information provided by the gloves' producer. The gloves type used must be chosen based on the work activity and duration as well as concentration/quantity of material being handled. Recommended: PVC.

Body protection: Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection



In case of inadequate ventilation wear respiratory protection. Open system(s): Wear suitable respiratory protective equipment. A self contained breathing apparatus may be appropriate.

Thermal hazards Not applicable.

8.2.3 Environmental Exposure Controls Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Viscous liquid, Amber Colour

Odour Odour Threshold

Ododi Tillesiloid

pп

Melting Point/Freezing Point Initial boiling point and boiling range

Flash point Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Vapour pressure

Viscous liquid, Amber Coloui

Ammonia odour. Not available.

Not established. Not available. Not available.

138°C [Closed cup] < 1 (BuAC = 1)

Not applicable - Liquid.

Not applicable. 0.2 mm Hg

Revision: 1.2 Date: 28.08.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

9.2

www.vishaypq.com

Vapour density 3.6 (Air = 1)1.0 (H2O = 1)Relative density Solubility(ies) Insoluble in water. Partition coefficient: n-octanol/water Not available. Not applicable. Auto-ignition temperature Not available. **Decomposition Temperature** Viscosity Not available. Explosive properties Not explosive. Oxidising properties Not oxidising. Other information None.

10. **SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity Stable under normal conditions. 10.2 **Chemical stability** Stable under normal conditions. Possibility of hazardous reactions 10.3

Reacts with - Acids, Strong oxidising agents and halogenated compounds. Conditions to avoid 10.4 Store in a well-ventilated place. Keep container tightly closed. Keep away from

heat, sources of ignition and direct sunlight.

10.5 Incompatible materials Keep away from: Acids, Alkalis, Amines, Oxidizing agents, nitrosating agents,

halogenated compounds, Aldehydes and Isocyanates.

10.6 **Hazardous Decomposition Product(s)** Combustion or thermal decomposition will evolve toxic and irritant vapours.

Phenolics, Hydrogen chloride, Carbon monoxide, Carbon dioxide and Nitrogen

oxides.

11. **SECTION 11: TOXICOLOGICAL INFORMATION**

11.1 Information on toxicological effects

Acute toxicity

Ingestion Acute Tox. 4: Harmful if swallowed.

Acute Toxicity Estimate Mixture Calculation: LD50 Oral 500 mg/kg bw/day

Inhalation Based upon the available data, the classification criteria are not met. Dermal Based upon the available data, the classification criteria are not met.

Skin corrosion/irritation Skin Irrit. 2: Causes skin irritation.

Serious eye damage/irritation Eye Dam. 1: Causes serious eye damage.

Respiratory or skin sensitization Skin Sens. 1: May cause an allergic skin reaction.

Germ cell mutagenicity Based upon the available data, the classification criteria are not met. Carcinogenicity Based upon the available data, the classification criteria are not met. Reproductive toxicity Based upon the available data, the classification criteria are not met. STOT - single exposure Based upon the available data, the classification criteria are not met. STOT - repeated exposure STOT RE 2: May cause damage to organs through prolonged or repeated

exposure.

Aspiration hazard Based upon the available data, the classification criteria are not met.

11.2 Other information None.

SECTION 12: ECOLOGICAL INFORMATION 12.

12.1 **Toxicity** Aquatic Chronic 2; Toxic to aquatic life with long lasting effects.

Estimated LC50 (Fish) > 1 ≤10 mg/l

12.2 Persistence and degradability Part of the components are poorly biodegradable. 12.3 Bioaccumulative potential The product has low potential for bioaccumulation.

12.4 Mobility in soil The product is predicted to have low mobility in soil. (Insoluble in water.)

12.5 Results of PBT and vPvB assessment Not classified as PBT or vPvB.

12.6 Other adverse effects None known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods This material and its container must be disposed of as hazardous waste (2008/98/EEC). Do not allow to enter drains, sewers or watercourses.

Revision: 1.2 Date: 28.08.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com

Containers of this material may be hazardous when empty since they retain

product residue.

13.2 Additional Information Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

		ADR/RID / IMDG / IATA
14.1	UN number	UN 3082
14.2	Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Reaction product: Bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700))
14.3	Transport hazard class(es)	9
14.4	Packing Group	III
14.5	Environmental hazards	Classified as a Marine Pollutant./ Environmentally hazardous substance
14.6	Special precautions for user	See Section: 2
14.7	Transport in bulk according to Annex II of	Not applicable.
	MARPOL73/78 and the IBC Code	
14.8	Additional information	None.

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental

regulations/legislation specific for the substance or

mixture

15.1.1 EU regulations

Authorisations and/or Restrictions On Use None. Substance(s) of Very High Concern (SVHCs) None.

15.1.2 National regulations

Wassergefährdungsklasse (Germany) Water hazard class: 2

15.2 Chemical Safety Assessment Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS). Existing ECHA registration(s) for Reaction product: Bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) (CAS No.25068-38-6) and 2,2'-Iminodiethanol (CAS No.111-42-2).

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP).	Classification Procedure
Acute Tox. 4; H302	Acute Toxicity Estimate (ATE) Calculation.
Skin Irrit. 2; H315	Threshold Calculation
Skin Sens. 1; H317	Threshold Calculation
Eye Dam. 1; H318	Threshold Calculation
STOT RE 2; H373	Threshold Calculation
Aquatic Chronic 2	Summation Calculation

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration

PBT PBT: Persistent, Bioaccumulative and Toxic PvB PBT: very Persistent and very Toxic

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Revision: 1.2 Date: 28.08.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.