Revision: 3.1 Date: 03.11.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name MCoat JA Part B

Chemical Name Mixture
CAS No. Mixture
EINECS No. Mixture
REACH Registration No. None assigned.

1.2 Relevant identified uses of the substance or mixture

and uses advised against

Identified Use(s) Sealants

Uses Advised Against For professional users only.

1.3 Details of the supplier of the safety data sheet

Company Identification VISHAY MEASUREMENTS GROUP UK LTD

Stroudley Road Basingstoke Hampshire United Kingdom RG24 8FW

 Telephone
 +44 (0) 1256 462131

 Fax
 +44 (0) 1256 471441

 E-Mail (competent person)
 mm.uk@vishaypg.com

1.4 Emergency telephone number (00-1) 703-527-3887

CHEMTREC

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP) Skin Irrit. 2; H315

Eye Irrit. 2; H319 Aquatic Chronic 3; H412

2.2 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

Product Name MCoat JA Part B

Hazard Pictogram(s)



Signal Word(s) Warning

Contains:

Hazard Statement(s)
H315: Causes skin irritation.

H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s) P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention.

Revision: 3.1 Date: 03.11.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com

P273: Avoid release to the environment.

Supplemental information EUH208: Contains: 3-aminopropyltriethoxysilane and 2,2'-thiodiethanethiol. May

produce an allergic reaction.

2.3 Other hazards None

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Not applicable.

3.2 Mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard classification
Propane, 1,2,3-trichloro-, polymer with 1,1'-[methylenebis(oxy)]bis[2-chloroethane] and sodium sulfide (Na2(Sx)), reduced	< 50	68611-50-7	-	Not applicable	Aquatic Chronic 3; H412
Proprietary modified polysulfide polymer	< 5	SUB120978	-	Not applicable	Skin Irrit. 2; H315
Ethyl acetate	< 5	141-78-6	205-500-4	Not applicable	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336
Proprietary modified polysulfide polymer	< 5	SUB120976		Not applicable	Eye Irrit. 2; H319 STOT SE 3; H335
Titanium dioxide	< 3	13463-67-7	236-675-5	Not applicable	Not classified
Proprietary modified polysulfide polymer	< 3	SUB120979		Not applicable	Skin Irrit. 2; H315
3-aminopropyltriethoxysilane	< 0.5	919-30-2	213-048-4		Acute Tox. 4; H302 Skin Corr. 1B; H314 Skin Sens. 1; H317
2,2'-thiodiethanethiol	< 0.5	3570-55-6	-	Not applicable	Acute Tox. 4; H312 Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT SE 3; H335

For full text of H/P Statements see section 16.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation

Skin Contact

Eye Contact

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF exposed or concerned: Get medical

advice/attention.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If irritation (redness, rash, blistering) develops, get medical attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

Revision: 3.1 Date: 03.11.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

www.vishaypg.com

Ingestion

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

IF SWALLOWED: Rinse mouth. Do not induce vomiting unless instructed to do so by medical personnel. Call a POISON CENTER/doctor if you feel unwell. Causes skin irritation. Causes serious eye irritation. May produce an allergic reaction in persons already sensitised.

Treat symptomatically.

5. SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media

As appropriate for surrounding fire. Extinguish with carbon dioxide, dry chemical, foam or waterspray.

Unsuitable extinguishing media

Do not use water jet. Direct water jet may spread the fire.

5.2 Special hazards arising from the substance or mixture

May decompose in a fire giving off toxic fumes. Decomposes in a fire giving off toxic fumes: Carbon monoxide, Carbon dioxide, Nitrogen oxides, Sulphur oxides, metal oxides, halogenated compounds

5.3 Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid release to the environment. Avoid run off to waterways and sewers.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Avoid breathing vapours. Avoid all contact. Ensure adequate ventilation. Stop leak if safe to do so. Use personal protective equipment as required. See

6.2 Environmental precautions

Avoid release to the environment. Do not allow to enter drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be alerted to the Environment Agency or other appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Small spillages:

Stop leak if safe to do so. Dilute with water. Adsorb spillages onto sand, earth or

any suitable adsorbent material. Ventilate the area and wash spill site after material pick-up is complete. Transfer to a container for disposal. Dispose of this

material and its container as hazardous waste (2008/98/EEC).

Large spillages:

Stop leak if safe to do so. Keep upwind. Adsorb spillages onto sand, earth or any suitable adsorbent material. Ventilate the area and wash spill site after material pick-up is complete. Transfer to a container for disposal. Dispose of this

material and its container as hazardous waste (2008/98/EEC).

6.4 Reference to other sections See Section: 8, 13

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Storage temperature

Incompatible materials

7.3

Avoid all contact. Do not breathe vapour. Do not ingest. Ensure adequate ventilation. Use personal protective equipment as required. See Section: 8. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep only in the original container in a cool, well ventilated place. Keep away from heat, sources

of ignition and direct sunlight.

Store above (°C): 5 (41 °F)

Stable under normal conditions.

Storage life Stable under Unsuitable containers: None known.

Keep away from: Oxidizing agents and Acids, Alkalis. Keep from direct sunlight.

Specific end use(s) See Section: 1.2

DOCUMENT NO. 14829 Page: 3 of 7 REVISION C

Revision: 3.1 Date: 03.11.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypq.com

8. **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

8.1 **Control parameters**

8.1.1 **Occupational Exposure Limits**

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Ethyl acetate	141-78-6	200	730	400	1460	WEL
Titanium dioxide	13463-67-7	-	10	-	-	WEL: Inhalable Dust
		-	4	-	-	WEL: Respirable Dust

Note: WEL: Workplace Exposure Limit (UK HSE EH40)

8.1.2 Biological limit value Not established.

PNECs and DNELs 8.1.3 Not established.

8.2 **Exposure controls**

8.2.1 Appropriate engineering controls Ensure adequate ventilation. Atmospheric levels should be controlled in

compliance with the occupational exposure limit. Guarantee that the eye flushing

systems and safety showers are located close to the working place.

8.2.2 Individual protection measures, such as personal

protective equipment (PPE)

General hygiene measures for the handling of chemicals are applicable. Avoid all contact. Do not breathe vapour. Wash hands before breaks and after work. Keep work clothes separately. Wash contaminated clothing before reuse. Do not

eat, drink or smoke at the work place.

Eye/ face protection Wear protective eye glasses for protection against liquid splashes. Wear eye

protection with side protection (EN166).

Skin protection

Hand protection: Wear impervious gloves (EN374). Gloves should be changed regularly to avoid permeation problems. Recommended: Nitrile rubber, Butyl rubber, PVC. Breakthrough time of the glove material: refer to the information provided by the gloves' producer.

Body protection: Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection In case of inadequate ventilation wear respiratory protection. Open system(s):

Wear suitable respiratory protective equipment.

Not applicable. Thermal hazards

8.2.3 **Environmental Exposure Controls** Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES 9.

9.1 Information on basic physical and chemical properties

Appearance Solid, beige Odour Not determined. Odour threshold Not available. рΗ Not established. Melting point/freezing point Not available. Initial boiling point and boiling range Not established. Flash point Not applicable.

REVISION C DOCUMENT NO. 14829 Page: 4 of 7

Revision: 3.1 Date: 03.11.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypq.com

Evaporation rate Not established. Not established. Flammability (solid, gas) Upper/lower flammability or explosive limits Not applicable Vapour pressure Not established. Not established. Vapour density 1.16 g/cm³ Relative density

Insoluble in cold water. Solubility(ies)

Partition coefficient: n-octanol/water Not available. Not available. Auto-ignition temperature **Decomposition Temperature** Not available. Viscosity Not applicable Explosive properties Not explosive. Oxidising properties Not oxidising.

9.2 Other information None

SECTION 10: STABILITY AND REACTIVITY 10.

10.1 Stability and reactivity Stable under normal conditions 10.2 **Chemical stability** Stable under normal conditions. Hazardous polymerisation will not occur. 10.3 Possibility of hazardous reactions

10.4 Keep away from heat, sources of ignition and direct sunlight. Conditions to avoid

10.5 Incompatible materials Keep away from: Oxidizing agents and Acids, Alkalis. Keep from direct sunlight. 10.6 Hazardous decomposition product(s) Decomposes in a fire giving off toxic fumes: Carbon monoxide, Carbon dioxide,

Nitrogen oxides, Sulphur oxides, metal oxides, halogenated compounds

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects (Substances in preparations / mixtures)

Acute toxicity

12.5

Ingestion Based upon the available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg

bw/dav.

Inhalation Based upon the available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 20 mg/l. Skin Contact Based upon the available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg

Skin corrosion/irritation Skin Irrit. 2; Causes skin irritation. Serious eye damage/irritation Eye Irrit. 2; Causes eye irritation.

Respiratory or skin sensitization EUH208: Contains: 3-aminopropyltriethoxysilane and 2,2'-thiodiethanethiol. May

produce an allergic reaction.

Germ cell mutagenicity Based upon the available data, the classification criteria are not met. Carcinogenicity Based upon the available data, the classification criteria are not met. Reproductive toxicity Based upon the available data, the classification criteria are not met. STOT - single exposure Based upon the available data, the classification criteria are not met. STOT - repeated exposure Based upon the available data, the classification criteria are not met. Aspiration hazard Based upon the available data, the classification criteria are not met.

11.2 Other information None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 **Toxicity** Aquatic Chronic 3; Harmful to aquatic life with long lasting effects.

Estimated Mixture LC50 > 10 < 100 mg/l (Fish)

12.2 Persistence and degradability No data for the mixture as a whole. 12.3 Bioaccumulative potential No data for the mixture as a whole.

12.4 Mobility in soil The product is predicted to have low mobility in soil. Insoluble in cold water.

Results of PBT and vPvB assessment Not classified as PBT or vPvB.

Revision: 3.1 Date: 03.11.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

13.2

14.8

www.vishaypg.com

12.6 Other adverse effects None known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods This material and its container must be disposed of as hazardous waste

(2008/98/EEC). Send after pre-treatment to a appropriate hazardous waste

incinerator facility according to legislation.

Additional Information Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

ADR/RID / IMDG / IATA

Not applicable. 14.1 **UN** number Not applicable. 14.2 **UN proper shipping name** 14.3 Transport hazard class(es) Not applicable. Packing group 14.4 Not applicable. **Environmental hazards** 14.5 Not applicable. 14.6 Special precautions for user See Section: 2 14.7 Transport in bulk according to Annex II of MARPOL Not applicable. 73/78 and the IBC Code

73/78 and the IBC Code
Additional Information

None

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental

regulations/legislation specific for the substance or

mixture

15.1.1 EU regulations

Authorisations and/or Restrictions On Use None Substance(s) of Very High Concern (SVHCs) None

15.1.2 National regulations

Wassergefährdungsklasse (Germany) Water hazard class: 2

15.2 Chemical Safety Assessment Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS), Harmonised Classification(s) for Sodium hydroxide (CAS No. 1310-73-2), Manganese dioxide (CAS No. 1313-13-9). Existing ECHA registration(s) for Manganese dioxide (CAS No. 1313-13-9), Terphenyl, hydrogenated (CAS No. 61788-32-7), Terphenyl (CAS No. 26140-60-3), Sodium hydroxide (CAS No. 1310-73-2), the Classification and Labelling Inventory for Poly(oxy-1,2-ethanediyl), α-[(1,1,3,3-tetramethylbutyl)phenyl]-ω-hydroxy- (CAS No. 9036-19-5), Bis (piperidinothiocarbonyl) tetrasulphide (CAS No. 120-54-7). EU Classification: This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830.

Classification of the substance or mixture According to	Classification Procedure
Regulation (EC) No. 1272/2008 (CLP)	
Skin Irrit. 2; H315	Threshold Calculation
EUH208	Threshold Calculation
Eye Irrit. 2; H319	Threshold Calculation
Aquatic Chronic 3; H412	Summation Calculation

LEGEND

LTEL: Long Term Exposure Limit

STEL: Short Term Exposure Limit

DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Revision: 3.1 Date: 03.11.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com

Hazard Statement(s)

H302: Harmful if swallowed. H332: Harmful if inhaled.

H314: Causes severe skin burns and eye damage.
H335: May cause respiratory irritation.
H316: Causes skin irritation.
H336: May cause drowsiness or dizziness.

H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects.

H319: Causes serious eye irritation.

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.