Revision: 2.0 Date: 29.09.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name CSM-3
Chemical Name Mixture
CAS No. Mixture
EINECS No. Mixture
REACH Registration No. None assigned.

1.2 Relevant identified uses of the substance or mixture

and uses advised against

Identified Use(s) Metal surface treatment products, including galvanic and electroplating products.

Uses Advised Against None known.

1.3 Details of the supplier of the safety data sheet

Company Identification VISHAY MEASUREMENTS GROUP UK LTD

Stroudley Road Basingstoke Hampshire United Kingdom RG24 8FW

 Telephone
 +44 (0) 1256 462131

 Fax
 +44 (0) 1256 471441

 E-Mail (competent person)
 mm.uk@vishaypg.com

1.4 Emergency telephone number (00-1) 703-527-3887

CHEMTREC

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP) Flam. Aerosol 1; H222 Acute Tox. 4; H332

Acute Tox. 4; H332 Aquatic Chronic 3; H412

2.2 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

Product Name CSM-3

Hazard Pictogram(s)





Signal Word(s) Danger

Contains: Trans-Dichloroethylene

Hazard Statement(s) H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

H332: Harmful if inhaled.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s) P261: Avoid breathing spray.

P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

P312: Call a POISON CENTER/doctor if you feel unwell.

P273: Avoid release to the environment.

ADD Label elements P210: Keep away from heat, hot surfaces, sparks, open flames and other

Revision: 2.0 Date: 29.09.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com

ignition sources. No smoking.

P211: Do not spray on an open flame or other ignition source.

P410+P412: Protect from sunlight. Do no expose to temperatures exceeding

50°C/ 122°F.

P251: Do not pierce or burn, even after use.

Additional Information None.

2.3 Other hazards None.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Not applicable.

3.2 Mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard classification
Trans-Dichloroethylene	> 90	156-60-5	205-860-2	None assigned	Flam. Liq. 2; H225 Acute Tox. 4; H332 Aquatic Chronic 3; H412
Carbon dioxide	1- 10	124-38-9	204-696-9	None assigned	Press. Gas; H280

For full text of H/P Statements see section 16.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or

waistband. Call a POISON CENTER/doctor if you feel unwell.

Skin Contact IF ON SKIN: Gently wash with plenty of soap and water. Remove contaminated

clothing and wash clothing before reuse. If symptoms develop, obtain medical

attention.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Flush eyes with water for at least 15 minutes. Get medical attention if eye irritation develops or persists.

IF SWALLOWED: Rinse mouth. Do not give anything by mouth to an

unconscious person. Do not induce vomiting. If symptoms develop, obtain

medical attention.

4.2 Most important symptoms and effects, both acute and

delayed

Ingestion

Harmful if inhaled. Ingestion may cause irritation of the gastrointestinal tract.

May cause dizziness.

4.3 Indication of any immediate medical attention and

special treatment needed

Treat symptomatically.

5. SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire. Extinguish preferably with foam, carbon

dioxide or dry chemical. Keep container(s) exposed to fire cool, by spraying with

water.

Unsuitable extinguishing media Do not use water jet. Do not direct a solid stream of water or foam into hot,

Revision: 2.0 Date: 29.09.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypq.com

5.2 Special hazards arising from the substance or mixture

burning pools; this may cause spattering and increase fire intensity. Extremely flammable aerosol. Thermal decomposition will evolve toxic and corrosive vapours. Carbon dioxide, Carbon monoxide, Phosgene and Hydrogen chloride. Vapours are heavier than air and may travel considerable distances to a source of ignition and flashback. Sealed containers may rupture explosively if

5.3 Advice for fire-fighters Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

SECTION 6: ACCIDENTAL RELEASE MEASURES 6.

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Stop leak if safe to do so. Eliminate all ignition sources if safe to do so. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing mist/vapours/spray. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. See Section: 8. The vapour is heavier than air; beware of pits and confined spaces.

6.2 **Environmental precautions**

Avoid release to the environment. Do not allow to enter drains, sewers or watercourses.

6.3 Methods and material for containment and cleaning

Ensure suitable personal protection during removal of spillages. Use nonsparking equipment when picking up flammable spill. Adsorb spillages onto sand, earth or any suitable adsorbent material. Do NOT absorb in saw-dust or other combustible absorbents. Transfer to a lidded container for disposal or recovery. Ventilate the area and wash spill site after material pick-up is complete. Dispose of this material and its container as hazardous waste (2008/98/EEC). Allow small spillages to evaporate provided there is adequate ventilation.

See Section: 8, 13

6.4 Reference to other sections

7. **SECTION 7: HANDLING AND STORAGE**

7.1 Precautions for safe handling Ensure adequate ventilation. Avoid breathing mist/vapours/spray. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. See Section: 8. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Do not use sparking tools. Do not spray on an open flame or other ignition source. Pressurised container - Do not pierce or burn, even after use. Do not eat, drink or smoke when using this product. Wash hands before breaks

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool/low-temperature, well-ventilated (dry) place away from heat and ignition sources. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from direct sunlight. Do not reuse empty containers.

Storage temperature

Keep cool. Do not expose to temperatures exceeding 50°C/122°F.

Storage life

7.3

Stable under normal conditions.

Incompatible materials

Specific end use(s)

Isolate from reducers and flammable/ combustible materials etc in storage. Keep

away from: Strong oxidising agents, Acids and Alkalis.

Metal surface treatment products, including galvanic and electroplating products.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 **Control parameters**
- 8.1.1 **Occupational Exposure Limits**

DOCUMENT NO. 15414 Page: 3 of 7 REVISION C

Revision: 2.0 Date: 29.09.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Carbon dioxide	124-38-9	5000	9000	-	-	EU IOELV
Carbon dioxide 124-36-9		5000	9150	15000	27400	WEL

Note: WEL: Workplace Exposure Limit (UK HSE EH40). IOELV: Indicative Occupational Exposure Limit Value.

8.1.2 Biological limit value Not established.

8.1.3 PNECs and DNELs Not established.

8.2 Exposure controls

8.2.1 Appropriate engineering controls Ensure adequate ventilation or use appropriate containment. Atmospheric levels

should be controlled in compliance with the occupational exposure limit. Use non-sparking ventilation systems, approved explosion-proof equipment, and

intrinsically safe electrical systems.

8.2.2 Individual protection measures, such as personal

protective equipment (PPE)

General hygiene measures for the handling of chemicals are applicable. Avoid contact with skin, eyes or clothing. Avoid breathing mist/vapours/spray. Wash

hands before breaks and after work. Keep work clothes separately.

Contaminated clothing should be thoroughly cleaned. Do not eat, drink or smoke

at the work place.

Eye/ face protection Wear eye protection with side protection (EN166).

0

Skin protection



Hand protection: Not normally required. Wear suitable gloves if prolonged skin contact is likely. Breakthrough time of the glove material: refer to the information

provided by the gloves' producer.

Body protection: Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Recommended:

Wear work clothes with long sleeves.

Respiratory protection

Use only in well-ventilated areas. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid inhalation of high concentrations of vapours.

High concentrations: Wear suitable respiratory equipment. Recommended: Self-

contained breathing apparatus (DIN EN 137)

Thermal hazards Not applicable.

8.2.3 Environmental Exposure Controls Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Colourless liquid
Odour Sharp, Harsh
Odour threshold 17 ppm

pH Not established.
Melting point/freezing point - 50 °C

Initial boiling point and boiling range $48 \, ^{\circ}\text{C}$ Flash point $2-4 \, ^{\circ}\text{C}$ Evaporation rate 2.80

Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits 9.7-12.8~%

Revision: 2.0 Date: 29.09.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypq.com

Vapour pressure Not determined. Not determined. Vapour density Relative density 1.28 g/ml @ 20 °C

Solubility(ies) Soluble in water. 6.3 mg/ml @ 25 °C

Partition coefficient: n-octanol/water Not established. Not established. Auto-ignition temperature **Decomposition Temperature** Not established. Viscosity Not established. Explosive properties Not explosive. Oxidising properties Not oxidising.

9.2 Other information Volatile Organic Compound Content (%): 96

10. SECTION 10: STABILITY AND REACTIVITY

Stability and reactivity 10.1 Stable under normal conditions. 10.2 **Chemical stability** Stable under normal conditions.

10.3 Possibility of hazardous reactions Extremely flammable aerosol. Vapours are heavier than air and may travel

considerable distances to a source of ignition and flashback.

10 4 Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition

> sources. No smoking. Keep from direct sunlight. Do not expose to temperatures exceeding 50°C/122°F. Do not spray on an open flame or other ignition source.

Take precautionary measures against static discharge.

10.5 Incompatible materials Isolate from reducers and flammable/ combustible materials etc in storage. Keep

away from: Strong oxidising agents, Acids and Alkalis.

Thermal decomposition will evolve toxic and corrosive vapours. Carbon dioxide, 10.6 Hazardous decomposition product(s)

Carbon monoxide, Phosgene and Hydrogen chloride.

SECTION 11: TOXICOLOGICAL INFORMATION 11.

11.1 Information on toxicological effects (Substances in preparations / mixtures)

Acute toxicity

Ingestion Based upon the available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg

bw/day.

Inhalation Acute Tox. 4; Harmful if inhaled.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 11 mg/l. Skin Contact Based upon the available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg

Skin corrosion/irritation Based upon the available data, the classification criteria are not met. Serious eye damage/irritation Based upon the available data, the classification criteria are not met. Respiratory or skin sensitization Based upon the available data, the classification criteria are not met. Germ cell mutagenicity Based upon the available data, the classification criteria are not met. Carcinogenicity Based upon the available data, the classification criteria are not met. Reproductive toxicity Based upon the available data, the classification criteria are not met. STOT - single exposure Based upon the available data, the classification criteria are not met. STOT - repeated exposure Based upon the available data, the classification criteria are not met.

Aspiration hazard Based upon the available data, the classification criteria are not met.

11.2 Other information None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 **Toxicity** Aquatic Chronic 3: Harmful to aquatic life with long lasting effects.

Estimated Mixture LC50 > 10 < 100 mg/l (Fish)

12.2 No data for the mixture as a whole. Persistence and degradability **Bioaccumulative potential** 12.3 No data for the mixture as a whole.

12.4 Mobility in soil The product is predicted to have high mobility in soil (Highly volatile. May

Revision: 2.0 Date: 29.09.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com

evaporate quickly.)

12.5 Results of PBT and vPvB assessment Not classified as PBT or vPvB.

12.6 Other adverse effects None known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

This material and its container must be disposed of as hazardous waste (2008/98/EEC). Dispose of contents in accordance with local, state or national legislation. Containers of this material may be hazardous when empty since they retain product residue. Dispose of wastes in an approved waste disposal facility.

13.2 Additional Information Do not reuse empty containers. Do not pierce or burn container, even after use.

14. SECTION 14: TRANSPORT INFORMATION

ADR/RID / IMDG / IATA/ICA

14.1 UN number UN 1950

14.2 UN proper shipping name AEROSOLS, flammable

14.3 Transport hazard class(es)

14.4 Packing group None assigned.

14.5 Environmental hazards Not classified as a Marine Pollutant / Environmentally hazardous substance

14.6 Special precautions for user See Section: 2
 14.7 Transport in bulk according to Annex II of MARPOL Not applicable.

73/78 and the IBC Code

Additional Information Deca

14.8 Additional Information Recommended: Road/Rail/Sea transport only.

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental

regulations/legislation specific for the substance or

mixture

15.1.1 EU regulations Aerosol is packaged in accordance with Aerosol Dispensers Directive Council

Directive 75/324/EEC, as amended. Inverted epsilon labelling '3' certifies

conformity.

Substance(s) of Very High Concern (SVHCs)

Authorisations and/or Restrictions On Use

None.

15.1.2 National regulations

Wassergefährdungsklasse (Germany) Water hazard class: 2

15.2 Chemical Safety Assessment Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS), Harmonised Classification(s) for Trans-Dichloroethylene (CAS# 156-60-5), and the Classification and Labelling Inventory for Carbon dioxide (CAS# 124-38-9).

EU Classification: This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830.

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Flam. Aerosol 1; H222	In accordance with Regulation (EC) No. 1272/2008 (CLP) 2.3.2.2
Acute Tox. 4; H332	Acute Toxicity Estimate Mixture Calculation
Aquatic Chronic 3; H412	Summation Calculation

LEGEND

LTEL: Long Term Exposure Limit PNEC: Predicted No Effect Concentration STEL: Short Term Exposure Limit PBT: Persistent, Bioaccumulative and Toxic

Revision: 2.0 Date: 29.09.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com

DNEL: Derived No Effect Level vPvB: very Persistent and very Bioaccumulative

Hazard Statement(s)

H222: Extremely flammable aerosol. H332: Harmful if inhaled.

H229: Pressurised container: May burst if heated. H412: Harmful to aquatic life with long lasting effects.

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.